## **TENDER**

# ALL INDIA INSTITUTE OF AYURVEDA



# SUMMARY OF TENDER

| Provision of Bio Medical Waste at AIIA, Sarita Vihar, New Delhi.                         |  |  |
|--|--|--|
| 30.08.2021   |  |  |
| From 30.08.2021 to 13.09.2021 till 1500 Hrs, can be downloaded from the website of AIIA. |  |  |
| The sealed Tender so as to reach this office on or before 13.09.2021 latest by 1500 hrs  |  |  |
| On 13.09.2021 1530 hrs in presence of party who may be present.                          |  |  |
| On 09.09.2021 by 1500 hrs  |  |  |
| Rs. 5,24,704.00  |  |  |
| Ten Days   |  |  |
| Pre qualifications Documents with Tender Document  |  |  |
| Financial Bid Only   |  |  |
|  |  |  |



#### ALL INDIA INSTITUTE OF AYURVEDA



#### NOTICE INVITING TENDER

File No: K-50/111/2021-AIIA \$576

Dated: - 28/08/2021

Name of the work: Provision of Bio Medical Waste at AIIA, Sarita Vihar, New Delhi.

Sealed Tenders are invited on behalf of All India Institute of Ayurveda (AIIA), New Delhi for Provision of Bio Medical Waste at AIIA, Sarita Vihar, New Delhi.

- 1. <u>Tender Document Fees Nil EMD</u> Bidders need not to deposit EMD/ Bid Security for this tender. However, Bidders to sign a Bid securing declaration (as per Annexure-B attached) accepting that if they withdraw or modify their Bids during the period of validity, or if they are awarded the contract and they fail to sign the contract, or to submit a performance security before the deadline defined in the request for bids document, they will be suspended for Two Years and shall be declared in-eligible to submit Bids for any contract with All India Institute of Ayurveda New Delhi.
- 2. The work is estimated to cost **Rs. 5,24,704.00** This estimate, however, is given merely as a rough guide.
- 3. The works are to be completed in **10 days** from the 2nd day after the day on which the department issues the written order to commence the work or from the date of handing over the site, whichever is later.
- 4. The tender can be downloaded from AIIA website only.

### 5. The Following documents are required to qualify in technical bid.

- 5.1 The contractor/agency should have satisfactorily completed the works as mentioned below during the last Five years in which tenders are invited as follows: The contractor shall enclose work order with Bill of quantity.
  - a) Three similar works of each costing not less than 30% of the estimated cost OR
  - b) Two similar works of each costing not less than 50% of the estimated cost. OR
  - c) One similar work of each costing not less than 80% of the estimated cost

DE1012/10


"Similar work shall mean works of Civil Works/ Repairing Work/Renovation/Interior related Civil work.

- 5.2. A tenderer shall enclose a copy of valid PAN Card.
- **5.3**. Proof of registration with GST.
- **5.4** Site Visit Confirmation Format duly signed by Institute's Engineer in Charge as per attached format.
- **5.5**. All the above certified documents shall be submitted by the firm duly signed and stamped with seal of the company and original shall be duly produced for verification as required.
- 6. The tender document can be down loaded from our website https://aiia.gov.in/
- 7. In such case Bidder should fulfil prequalification criteria as per para "5.1 to 5.5" and submit the documents in a sealed envelopes super scribed Envelop No. I-Technical Bid for pre-qualification for "Provision of Bio Medical Waste at AIIA, Sarita Vihar, New Delhi.".
- b) Envelope I marked as Technical bid shall contain all the pre-qualification documents along with tender documents downloaded from the web site duly signed and stamped as mark of acceptance of all terms and conditions. Any deviation from terms and conditions shall be notified separately.
- d) If all the required documents submitted are not complete as per Para 5 (a) above, Envelope II containing financial bid shall not be opened.
- 8. Copies of other drawings and documents pertaining to the works signed for the purpose of identification by the accepting authority of his accredited represent representatives and samples of materials to be arranged by the contractor will be open for inspection by tenderers at AIIA, New Delhi during working hours between the dates mentioned in clause 7 above.
- 9. Tenderer are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tender to the nature of the ground and sub-soil, the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to the risk, contingencies and other circumstances which may influence or effect their tender. A tenderer shall be deemed to have full knowledge of the site, whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed.
- 10. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of the conditions and rates at which stores, tools, plant etc. will be issued to him by the AIIA and local conditions and other factors bearing on the execution of the work.
- 11. A tenderer shall quote in figures as well as in words for rate(s) tendered. The amount for each item should be worked out and requisites total given. Special care shall be taken to write rates in figures as well as words and the amounts in figures only in such a way that interpolation is not possible. The total amount shall be written both in figures and in words. In case of figures, the



words 'Rs' should be written before the figure of rupees and the work 'Paisa' after the decimal figures e.g. Rs. 2.15 P and in case of words 'Rupees' should be precede and the word 'Paisa' should be written at the end. Unless the rate is in whole rupees followed by the word 'only' it should invariably be up to two places of decimal.

- 12. (a) All rates shall be quoted on the financial bid form and shall include material, labour, transportation all taxes & duties, supervision, tools, plants, wastage, sundries, scaffolding as required mobilization, demobilization, transportation etc. and nothing extra shall be payable on this account.
- (b) Sales tax or any other tax on materials/ labour in respect of this contract shall be payable by the contractor and the AIIA will not entertain any claim whatever in this respect.
- (c) As per law of land, statuary deduction like income tax / work contract tax etc. shall be made from the contractor's bill as applicable.
- (d) The Performance Guarantee of 3% to be deposited in form of DD/ Banker's Cheque of contract amount which shall be returned after satisfactory completion of work.
- 13. In case of item rate tenders, only rates quoted shall be considered. Any tender containing percentage below/above the rates quoted will be rejected.
- 13.1 Tender complete in all respect shall be put in the Tender Box placed at AIIA OFFICE C BLOCK New Delhi up to 1500 hours on or before 13.09.2021. The tenders received shall be opened on same day at 1530 Hrs in the presence of tenderers who may be present. The submission of tender shall be as under:
- 13.2 **Sealed Envelope No.2-superscribed "Technical bid"** along with name of work shall contain complete Tender documents and pre-qualification documents as required as listed **5.1 to 5.5** each page duly signed and stamped.
- 13.3 A separate sealed envelope No. II should contain only Financial Bid each page duly signed and stamped with prices in the manner specified in this NIT. The envelop shall be super scribed as Envelop-II-Financial bid for "Provision of Bio Medical Waste at AIIA, Sarita Vihar, New Delhi.".
- 14. All the three sealed envelopes should be put in separate sealed cover super scribed as Tender document for the work of "Provision of Bio Medical Waste at AIIA, Sarita Vihar, New Delhi.
- 15. On acceptance of tender, the earnest money will be treated as part of the Security Deposit.
- 16. AIIA will return the earnest money, where applicable to every unsuccessful tenderer.
- 17. AIIA reserve to themselves the right of accepting the whole or any part of the tender and tenderer shall be bound to perform the same at his quoted rates.
- 18. The validity of the tender(s) shall be up to 90 (Ninety) days from the date of opening of tender(s).
- 19. The use of whitener/ eraser in this tender is prohibited. If any correction becomes necessary, the same should be done by SCORING OFF originally written rates/figures etc. and then rewriting should be done under initials of person filling the tender.



- 20. An undertaking by the agency shall be given to the effect that "they will engage staff and labour of good moral character only at site and will ensure watch and ward and discipline of his employees". Suitable action will be taken against the agency if any deviation is noticed on this account.
- 21. For consumption of water and Electricity at site, if requested by the agency, the same shall be arranged by AIIA (subject to their existence at working site) at one mutually convenient point.
- 22. In case it is found during evolution or at any time before signing of contract or after its execution and during the period of subsistence there of that one or more of the eligibility conditions have not been met by the applicant, or the applicant has made maternal misrepresentation or has given any maternally incorrect or false information, the applicant shall be disqualified forthwith, if not, yet appointed as the contractor/supplier and if the applicant has already been issued the LOA or has entered into the contract, as the case may be, the same shall, notwithstanding anything to the contrary contained therein be liable to be terminated along with forfeiter of earnest money deposit (EMD)/ performance security by a communication in writing By the AIIA to the applicant without the corporation being liable in any matter whatsoever to the applicant and without prejudice to any other right or remedy with the AIIA may have under the bidding documents the contract or under applicable law.

23. The bidder shall submit all original warranty/guarantee cards of each item along with supply of items.

For & On Behalf of the ALL INDIA INSTITUTE OF AYURVEDA

Dr.Umesh Tagade

Joint Director

# ALL INDIA INSTITUTE OF AYURVEDA

ANNEXURE A

# CERTIFICATE OF SITE INSPECTION

| its registered address at for the work of | pirector/Authorized Signatory of M/s |
|---|--------------------------------------|
| the specifications, terms and cond        | litions of this Tender Document.     |
| Sign of Contractor                        | Sign of AIIA Engineer in Charge      |
| Date:-                                    |                                      |

अधागागरी

ANNEXURE B

# I/We, M/s hereby undertake and accept that if I/We withdraw or modify my/our Bids during the period of validity, or if I/We am/are awarded the contract and I/We fail to sign the contract, or to submit a performance security before the deadline defined in the request for bids document / We Shall have to a bid of the contract.

**Bid Security Declaration by the Bidder** 

in the request for bids document, /We \_\_\_\_\_ Shall have no objection if I/We am/are suspended for two Years from and declared in-eligible to submit Bids for any contract with All India Institute of Ayurveda New Delhi in terms of clause 1 of the Tender Document.

Seal, Name & Address of the bidder/authorized person


Telephone No. & Email ID

Date\_\_\_\_


Solone Co

# Schedule of Quantity (Financial Bid) Provision of Bio Medical Waste at AIIA, Sarita Vihar, New Delhi.

| S.no  | Description  | Unit | Qty                | Rate | Amount |
|-------|--|------|--------------------|------|--------|
|       | Brick work with common burnt clay F.P.S. (non  |      |                    |      |        |
|       | modular) bricks of class designation 7.5 in  |      |                    |      |        |
|       | superstructure above plinth level up to floor V  |      |                    |      |        |
|       | level in all shapes and sizes in:  |      |                    |      |        |
| 1     | Cement mortar 1:4 (1 cement: 4 coarse sand)  | Cum  | 14.03              |      |        |
|       | Half brick masonry with common burnt clay  |      |                    |      |        |
|       | F.P.S. (non modular) bricks of class designation   |      |                    |      |        |
|       | 7.5 in superstructure above plinth level up to   |      |                    |      |        |
|       | floor V level. Cement mortar 1:4 (1 cement :4  |      |                    |      |        |
| 2     | coarse sand)   | Sqm  | 11.34              |      |        |
|       | Extra for providing and placing in position 2  |      |                    |      |        |
|       | Nos 6mm dia. M.S. bars at every third course of  |      |                    |      |        |
| 3     | half brick masonry.  | Sqm  | 11.34              |      |        |
|       | Kota stone slab flooring over 20 mm (average)  |      |                    |      |        |
|       | thick base laid over and jointed with grey   |      |                    |      |        |
|       | cement slurry mixed with pigment to match the  |      |                    |      |        |
|       | shade of the slab, including rubbing and   |      |                    |      |        |
|       | polishing complete with base of cement mortar  |      |                    |      |        |
| 4     | 1: 4 (1 cement: 4 coarse sand): 25 mm thick  | Sqm  | 27.74              |      |        |
|       | Kota stone slabs 20 mm thick in risers of steps,   |      |                    |      |        |
|       | skirting, dado and pillars laid on 12 mm   | -    |                    |      |        |
|       | (average) thick cement mortar 1:3 (1 cement: 3   |      |                    |      |        |
|       | coarse sand) and jointed with grey cement  |      |                    |      |        |
|       | slurry mixed with pigment to match the shade   |      |                    |      |        |
| 1 3 3 | of the slabs, including rubbing and polishing  |      |                    |      |        |
| 4 (a) | complete.  | Sqm  | 9.75               |      |        |
|       | 15 mm cement plaster on rough side of single   |      |                    |      |        |
| _     | or half brick wall of mix: 1:4 (1 cement: 4  |      | The Market and the |      |        |
| 5     | coarse sand)   | Sqm  | 129.24             |      |        |
|       | Providing and fixing Ist quality ceramic glazed  |      |                    |      |        |
|       | wall tiles conforming to IS: 15622 (thickness to   |      |                    |      |        |
|       | be specified by the manufacturer), of approved   |      |                    |      |        |
|       | make, in all colours, shades except burgundy,  |      |                    |      |        |
|       | bottle green, black of any size as approved by   |      |                    |      |        |
|       | Engineer-in-Charge, in skirting, risers of steps   |      |                    |      |        |
|       | and dados, over 12 mm thick bed of cement  | - 1  |                    |      |        |
|       | mortar 1:3 (1 cement : 3 coarse sand) and  |      |                    |      |        |
|       | jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed |      |                    |      |        |
| 6     | with pigment of matching shade complete.   | Sam  | 76.32              |      | 1      |
|       | with pigment of matching snade complete.   | Sqm  | 76.32              |      |        |



| 7  | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.  | Sqm  | 52.92 |  |
|----|--|------|-------|--|
| 8  | Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)  | Sqm  | 52.92 |  |
| 9  | Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.  | Sqm  | 6.3   |  |
| 10 | Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete Hot finished welded type tubes.   | Kg   | 533.4 |  |
| 11 | Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. | Sqft | 36.25 |  |
| 12 | Making provision for Electrical wiring, conduiting, switches, sockets, 2 LED Tube Lights, 1 Ceiling/Wall Fan   | LS   | 1     |  |



| 13 | Providing and laying cement concrete in kerbs, steps and the like at or near ground level excluding the cost of centering, shuttering and finishing. 1:1½:3 (1 Cement: 1½ coarse sand(zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources) | Cum | 0.9 |   |
|----|---|-----|-----|---|
|    | Total   |     |     | 1 |
|    | GST @18% Extra  |     |     |   |
|    | Grand Total   |     |     |   |

| In Word |  |  |
|---------|--|--|
|         |  |  |



Signature of Contractor with Seal of firm/company.