



ALL INDIA INSTITUTE OF AYURVEDA(AIIA)

GAUTAMPURI, SARITA VIHAR, Mathura Road, DELHI 110076 (India)

Website: www.aiia.gov.in

Email: central-store@aiia.gov.in

Phone Number 011-26950401

Tender No.: F-14019/3/2023-AIIA

Dated: 11/01/2024

**Tender Documents for procurement of 'Multi-Cam
Studio Setup, in All India Institute of Ayurveda (AIIA)
New Delhi-110076.**

Notice Inviting Tender

Chapter-I

The Director, AIIA, Delhi invites tender under two Bid System Viz. Technical Bid and Financial Bid from reputed, experienced original manufacturer/authorized distributor of the following equipment. (It should be domestic goods including goods already imported by the supplier under its own arrangements).

2. Description of the item(s) is given below:

Item No.	Name & Description	Qty.	Unit price(in ₹)
1	Multi-Cam Studio Setups	1 No.	80,00,000
RUPEES EIGHTY LAKH ONLY			


For further details, please refer **Annexure-I (Technical Specification)**.

3. SCHEDULE OF TENDER

Sl. No.	Activity Description	Schedule	
•	Tender No.	F-14019/3/2023-AIIA	
•	Availability of Tender Document	The tender document can be downloaded from the AIIA web site http://www.aiaa.gov.in or from the procurement portal http://eprocure.gov.in/epublish/app	
		Schedule	Time
•	Document download start date	11/01/2024	18:00 hrs.
•	Bid submission start date	11/01/2024	18:30 hrs.
•	Seeking clarification end date	15/01/2024	15:30 hrs.
•	Bid submission end date	02/02/2024	15:00 hrs.
•	Bid opening date	02/02/2024	15:30 hrs.
•	Minimum Validity of tender offer	120 days from the date of opening of technical bid	
•	Services/Product to be offered	Multi-Cam Studio Setups	
•	Tender Document fee	NIL	
•	Performance Security	5% of the bid amount after award of contract.	

4. **Submission of Tenders:** The bid along with the necessary documents should be dropped in the Tender Box placed in the reception area of the All India Institute of Ayurveda (AIIA) on any working day/working hours and up to stipulated date and time. The bid document should be under two bid system (i) Technical Bid and (ii) Financial Bid, i.e. technical bid and financial bid should be in two different envelop which be placed in a bigger envelop.

5. **Clarification on bid documents:** Clarification on bid document may be sought by the bidders as per prescribed schedule over email address central-store@aiaa.gov.in.
6. **Amendments:** Any amendments/corrigendum related to bid document, for any reason whether in its own initiative or in response to clarification requested by bidders, will be published on website of Institute and on CPPP only. Bidders should check these amendments regularly. AIIA shall not be responsible to notify such amendments/corrigendum to individual bidders.
7. **All India Institute of Ayurveda (AIIA) reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all Bids without assigning any reason. The decision of the Director, AIIA in this regard shall be final and binding on all.**



(Dr. Umesh Tagade)
Joint Director (Admin)

Chapter- II

Instructions for Bidders

1. Tender has been invited under two bid systems. Hence all instruction should be followed properly as mentioned in bid document.
 2. All envelopes should be super-scribed "**Technical Bid for Multi-Cam Studio Setups**" as the case may be. Both the bids should be kept in a bigger envelop super-scribed with Bid for "**Multi-Cam Studio Setups**"
 3. All the annexure/declaration and tender documents should be signed by bidders. If these are signed by a representative, an authorization letter issued after tender publishing dated must be attached. **Tender submitted in loose sheet/unsigned shall not be considered.**
 4. The pages of tender document to be submitted by bidder should be properly number and an index with proper page number should be attached with the tender document.
 5. Rates quoted in respect of tender should be typed only. **Any cutting, overwriting shall not be considered.**
 6. The bidder shall quote rates in Indian Rupees (INR). Rates quoted in other currency shall be treated as non- responsive and will be rejected.
 7. Only technically qualified bidders will be considered for financial evaluation. Financial bid opening date and time will be intimated to technically qualified bidders only.
 8. Technical compliance sheet must be attached along with catalogue where in the technical compliance will be intimated properly. **Interested bidders may obtain further information from the office.**
 9. It is responsibility of bidders to ensure timely submission of bids as per given schedule and must be dropped in Tender Box. Bids received after due date will not considered.
 10. In event of the above-mentioned date being declared as holiday/closed day for the AIIA, the tender event will be postponed for the next working day.
 11. Price Preference Policy and Exemption for submission of various eligibility criteria documents to the Bidder registered under Make in India Initiative:- The bidders who are registered under **Make in India** Initiative and producing their products under the "**Make in India Policy of Government of India**" shall be given price preference as per Govt of India applicable Rules and Guidelines on submission of relevant certificate for availing the price preference and exemption for submission of exempted documents against this bid along with their Pre-Qualification Bid Documents. If the certificate is not uploaded along with their offer, it will be treated as normal bidder. Producing certificate at later stage will not be considered.
 12. Bidders are advised to go through the Make In India initiative and Price Preference Policy before opting the same for availing benefit under this initiative.
 13. It should be noted that this tender is subject to the provisions contained in Government of India, Ministry of Commerce & Industry, Department for Promotion of Industry and Internal Trade (Public Procurement Section) OrderNo.P-45021/2/2017-PP (BE-II) dated 04.06.2020 and all other relevant orders issued by the Government of India from time-to-time.
- (a) The 'Class-I local supplier / Class-II local supplier at the time of tender bidding or solicitation shall be required to indicate percentage of local content and provide self-verification that the item offered meets the local content requirement for Class-I local

supplier/Class-II local supplier, as the case may be. They shall also give details of location(s) at which the local value addition is made.

- (b) In cases of procurement for a value in excess of Rs. 10.00 CR, the 'Class-I local supplier/ 'Class-II local supplier' shall be required to provide a certificate from the statutory auditor or cost auditor of the company in the case of companies) or from practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content
- (c) False declaration will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the GFR-2017 for which a bidder or its successors can be debarred for up to two (02) years as per Rule 151 (iii) of the GFR-2017 along with such other actions as may be permissible under law.

Chapter-III

General Terms and Conditions

1. Tenders should be quoted only by the OEM/actual manufacturer and/or their authorized distributors/Service Providers only. Bidder should submit a current authority letter from the OEM of the major audio-visual equipment which are proposed to be used in the studio in the format given at "Annexure-III". The bidder is responsible for the supply of stores, installation testing and commissioning. If the Principal Manufacturer withdraws rights of distribution from the bidder during validity period of contract, Director, AIIA, DELHI has right to cancel the eligibility of the bidder and accept the candidature of new coming authorized distributor. **Any authorization certificate issued in the past for participating in any specific tender shall not be considered as a valid authorization by OEM.**
2. **Bidders will be required to arrange a demonstration of the offered equipment, if desire by the technical specification committee.** Failure to arrange for a demonstration on the given date may lead to cancellation of the bid. Cost of organizing such demonstration shall be borne by the bidder.
3. The model of the equipment used in the Studio should not be obsolete/out of production for next 3 years after expiring of guarantee/warranty period.
4. **Patent Rights:** The supplier shall, at all times, indemnify and keep indemnified the purchaser, free of cost, against all claims which may arise in respect of goods & services to be provided by the supplier under the contract for infringement of any intellectual property rights or any other right protected by patent, registration of designs or trademarks. In the event of any such claim in respect of alleged breach of patent, registered designs, trademarks etc. being made against the purchaser, the purchaser shall notify the supplier of the same and the supplier shall, at his own expenses take care of the same for settlement without any liability to the purchaser.
5. **Bidders must have attached affidavit of self-certification (from the OEM) regarding local content as prescribed by Ministry of Electronics & Information Technology from time to time.**
6. **Country of Origin**
 - i. All goods and services to be supplied and provided for the contract shall have the origin in India or in the countries with which the Government of India has trade relations.
 - ii. The word "origin" incorporated in this clause means the place from where the goods are mined, cultivated, grown, manufactured, produced or processed or from where the services are arranged.
 - iii. The country of origin may be specified in the Price Schedule.
 - iv. **Bidders may ensure the compliance and guidelines mentioned in Office Memorandum No. 6/18/2019-PPD dated 23rd July 2020 issued by Department of Expenditure, Ministry of Finance and a declaration as per above O.M. must be furnished.**
7. **Terms of Delivery:** Goods shall be delivered by the supplier in accordance with the terms of delivery and as per the delivery period specified in the schedule of requirement and Supply & Delivery Clause in General Terms and Conditions Section. Please note that the time shall be the essence of the contract.
8. Instructions for transportation of domestic goods including goods already imported by the supplier under its own arrangement: The supplier will arrange transportation of the ordered goods as per its own procedure up to Consignee Site (i.e. AIIA, DELHI, GAUTAMPURI, SARITA VIHAR, DELHI-110076.

9. **Spare Parts:** The separate price list of all spares and accessories and consumables, if any, (including minor) required for maintenance and repairs in future after guarantee/warranty period must be provided in the format given at “**Annexure-IV**” failing which quotation will not be considered.
10. **Tender currencies:** The Bidder supplying indigenous goods or already imported goods shall quote only in Indian Rupees (INR) in the Financial Bid Format given at **Annexure-V**. A Bidder quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India, in case their bid is found to be the lowest one after opening of financial bid.
11. **Tender Prices**
- i. The Bidder shall indicate on the Financial Bid Price Schedule provided at “**Annexure-V**” for Indigenous supplies in INR for all the specified components of prices shown therein including the unit prices and total tender prices of the goods and services it proposes to supply against the requirement. All the columns shown in the Financial Bid Price schedule in given format should be filled in as required.
 - ii. While filling up the columns of the Financial Bid Price Schedule, for domestic goods or goods of foreign origin located within India, the prices in the corresponding price schedule shall be entered separately in the following manner:
 - a. The price of the goods quoted ex-factory/ex-showroom/ex-warehouse/off-the-shelf, as applicable, including all taxes and duties like, Custom Duty and/or GST already paid or payable on the components and raw material used in the manufacture or assembly of the goods quoted ex-factory etc. or on the previously imported goods of foreign origin quoted ex-showroom etc;
 - b. Any taxes and duties including Custom duty and/or GST, which will be payable on the goods in India if the contract is awarded;
 - c. Charges towards Packing & Forwarding, Inland Transportation, Insurance (local transportation and storage), Loading & Unloading and other local costs etc incidental to delivery of the goods to their final destination will bear by Bidder;
 - d. The price of Incidental Services, as mentioned in Schedule of Requirement and Price Schedule;
 - e. The prices of Site Modification Work (if any), as mentioned in Schedule of Requirement, Technical Specifications and Price Schedule.
 - f. The Rate quoted for a product or services should be including all taxes. No additional charge/tax etc will be paid by AIIA, if claimed by Supplier at later stage.
 - g. Rates quoted will remain valid and fixed for entire bid validity period and/or for extended period. Bidder will not be allowed the change/modify rates during bid validity period.
 - h. Rate quoted should be unit wise and rate cannot be quoted beyond Maximum Retail Price (MRP).
 - i. The price of annual CMC, as mentioned in Schedule of Requirement, Technical Specification and Price Schedule (**Wherever applicable**).

Additional information and instruction on Duties and Taxes:

12. **(a) Octree Duty and Local Duties & Taxes:** Normally, goods to be supplied to Government Departments against Government contracts are exempted from levy of town duty, Octree duty, terminal tax and other levies of local bodies. However, on some occasions, the local bodies (like town body, municipal body etc.) as per their regulations allow such exemptions only on production of certificate to this effect from the concerned Government Department. Keeping this in view, the supplier shall ensure that the stores to be supplied by the supplier against the contract placed by the purchaser are exempted from levy of any such duty or tax and, wherever necessary, obtain the exemption certificate from the purchaser. The purchaser will issue the certificate to the supplier within a week positively from the date of receipt of request from the supplier. However, if a local

body still insists upon payment of receipt of such duties and taxes, the same shall be borne by the supplier. The institute will not be responsible for any such payments/reimbursement etc.

(b) Goods and Services Tax (GST) as per GST Act 2017: If a Bidder asks for Goods and Services Tax to be paid extra, the rate and nature of Goods and Services Tax applicable should be shown separately in their GST Compliant Invoices. The Goods and Services Tax will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction is legally liable to Goods and Services Tax and is payable as per the terms of the contract. If any refund of Tax is received at a later date, the Supplier must return the amount forth-with to the purchaser

13. Warranty on for 36 months (to be submitted from OEM on points below)

- I. Bidder have to submit a written guarantee/warranty from the manufacturers stating that the equipment's installed in the Studio being offered is the latest model as per the specifications and the spares for the equipment will be available for a period of at least 3 years after the guarantee/warranty period.
- II. The manufacturer will have to keep the institute informed of any up-date of the equipment over a period of next 3 years and undertake to provide the same to the institute at no extra cost and also they will supply regularly any items of spare parts requisitioned by the purchaser for satisfactory operation of the equipment till the life span of the equipment, if and when required on agreed price.
- III. Guarantee/warranty to the effect that before going out of production of spare parts, the manufacturer and/or Bidders will give adequate advance notice to the purchaser of the equipment so that the later may undertake to procure the balance of the life time requirements of spare parts.
- IV. The Guarantee/warranty to the effect that the manufacturer will make available to the institute, the blue-prints and drawing of the spare parts if and when required in connection with the equipment.
- V. **The supplier warrants comprehensively for 36 months Onsite Warranty including Spare Parts & Labour etc.** that the Equipment/Stores supplied under the contract is new, unused and in corporate all recent improvements and design and materials unless prescribed otherwise by the purchaser in the contract. The supplier further warrants that the Equipment/Stores supplied under the contract shall have no defect arising from design, materials (except when the design adopted and / or the material used are as per the Purchaser's/Consignee's specifications) or workmanship or from any act or omission of the supplier that may develop under normal use of the supplied Equipment under the conditions prevailing in India.
 - o No conditional warranty like mishandling, manufacturing defects etc will be acceptable.
 - o Comprehensive Warranty as well as Comprehensive Maintenance contract should be inclusive of all accessories.
 - o Replacement and repair will be undertaken for the defective Equipment/Stores.
 - o Proper marking has to be made for all spares for identification like printing of installation and repair dates.
- VI. Upon receipt of such notice, the supplier shall, within 48 hours on a 24 X 7 basis respond to take action to repair or replace the defective Equipment/Stores or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/ Equipment / Stores after providing their replacements and no claim, what so ever shall lie on the purchaser for such replaced Parts/Equipment/Stores thereafter. Non-replacement will attract appropriate penalty including forfeiture of performance security on repetition of such misconduct.
- VII. The Bidder hereby declares that the goods/equipment/stores/articles supplied to the buyer under this

contract shall be of the best quality and workmanship and shall be strictly in accordance with the specifications and the particulars contained/mentioned in the clauses hereof and the Bidder hereby guarantee/Warranty that the said goods / equipment / stores/ articles conform to the description and quality aforesaid. The purchaser will be entitled to reject the said goods/equipment/stores/articles or such portion thereof as may be discovered not to conform to the said description and quality as follows:

- a. Bidder should state categorically whether they have fully trained technical staff or installation/commissioning of the equipment and efficient after sales services.
 - b. It is specifically required that the Bidder/Supplier will supply all the operating and service manuals along with blue-prints and drawings including circuit diagram of the equipment supplied as well as its components.
- VIII. If the supplier, having been notified, fails to respond to take action to replace the defect(s) within 48 hours on 24X7 basis, the purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which the purchaser may have against the supplier.
- IX. During Warranty/CMC period, the supplier is required to visit at consignee's site at least once in 3 months commencing from the date of the installation for preventive maintenance of the Equipment/Stores.
- X. The Supplier along with its Indian Agent and the CMC provider shall ensure continued supply of the spare parts for the machines and Equipment supplied by them to the purchaser for 5 years from the date of installation and handing over.
14. **CMC for Three Years period after completion of 3 years onsite free of Cost Warranty:**
The bidder will give an onsite guarantee/ warranty for trouble free functioning and maintenance of the facility for 3 years including spares and labour from the date of installation, commissioning and acceptance of the facility. The bidder would submit a performance bank guarantee of 5% the cost of the Purchase Order for the period of warranty /CMC plus 2 months indemnifying the hospital against all losses incurred by the hospital during the warranty/maintenance period in the format given at "**Annexure-VI**". This has to be submitted after satisfactory installation along with the bills. The firm shall also quote for CMC charges which is applicable for the next 3 years after expiry of the comprehensive warranty period of 3 years in the "**Annexure-V**" for each Equipment/item (on which the Warranty/Guarantee applicable). The price quoted for CMC will be considered along with price of required Instruments/equipment in financial bid.
15. The bidder should quote rates of optional accessories/consumables/spares as per **Annexure-IV** and the rate should be valid till the validity of the contract.
16. Bidders are required to quote strictly as per specification of the equipment. If, deviation from specification, it must be brought out clearly giving deviation statement in **Annexure-VII**.
17. Additional features (in case of equipment), if any, should be listed separately in the offer. However, technical and financial evaluation will be done as per the specification mention at **Annexure-I**.
18. The bidder should submit an undertaking for acceptance of Terms & Conditions at **Annexure-VIII** including to the effect that they have necessary infrastructure for maintenance of the equipment and will provide accessories/spares as and when required by the indenter for 03 years after expiry of the Warranty period.
19. **Applicability of Anti-Profiteering Rule under GST Act 2017:** No item should be quoted with

price more than the M.R.P. by any Supplier Agency to AIIA DELHI. The MRP is required to be clearly mentioned on each of the supplied item/its packaging in their offered pack size. The prices should be quoted strictly in accordance with unit/pack Size and Strength/Potency mentioned in the schedule of Requirement at **Annexure-I** in the given Price Quotation format. The Anti-Profiteering Rule under GST Act 2017 is applicable against this Tender Enquiry on which the Supplier Agency should have mandatorily to pass on the benefit due to reduction in rate of tax to the AIIA DELHI by way of commensurate reduction in their prices. If any Supplier Agency found defaulter for following of above said rule (i.e. passing all the benefits of GST Tax Regime price reductions to AIIA DELHI), the necessary action deemed fit as per GST Act 2017 shall be initiated against such defaulter firm.

20. **Fall Clause:** If at any time during the execution of the contract, the Contractor/Manufacture/Distributor/Dealer reduces the sale price or sells or offers to sell such stores, as are covered under the contract, to any person/organization including the purchaser or any department of Central Government or any other AIIA/PSUs at a price lower than the price chargeable under the contract during the Current Financial Year, he shall forthwith notify Director, AIIA DELHI. The necessary difference amount about such reduction or sale or offer of sale to the purchaser and the price payable under the contract for the stores supplied after the date of coming in to force of such reduction or sale or offer of sale shall stand correspondingly reduced and deposited to AIIA DELHI by the Bidder or AIIA DELHI will deduct from the pending bills/Performance Security Deposit to recover the loss to the Government.
21. The Director, AIIA, DELHI has full authority to take in to account the performance of manufacturer/authorized dealer or distributor / bidder and they should submit a latest performance certificate (not older than previous financial year 2021-22) from any other Govt. Hospitals/Institutions/PSUs to testify the proper dealing & performance as well as installation and maintenance of equipment.
22. **Terms of Delivery of Products, Penalty/Liquidation Damage:**
 - I. The successful bidder shall have to complete all the works within a period of one month from the date of the acceptance of letter of award. Delivery of stores shall be F.O.R to AIIA DELHI. The AIIA DELHI is not liable for payments on account of Freight/Taxes/Expenditures which are to be paid inclusively by the suppliers.
 - II. The firm will be bound to supply the items and complete the set-up of the Studio in time bound manner as prescribed above. Thereafter suitable action as deemed fit, will be initiated. The above shall be in addition to forfeiture of Bid Security and black listing of the firm depending upon the circumstances of the default/gravity of the case.
 - III. The period of delivery strictly to be followed by the Supplier Agency as per time period communicated through Purchase/Supply Order through e-mail/hard copy through speed post. The penalty of 0.5% of the value of order per week for delayed in completion of work, maximum to 10% of the awarded value. No supplies will be entertained thereafter, and it will be treated as withdrawal by the bidder for which action will be taken as per the bid security declaration and other relevant rules/guidelines issue by Government in this regard. Part supplies will not be accepted / allowed at AIIA DELHI.
23. **INSPECTION OF SUPPLIES & ACCEPTANCE:**

The equipment and devices which are offered to installed in the Studio should be pre-approved from the Institute and should be of the given specifications. However, overall inspection

of the Studio to verify the BOQ items will be carried out after the completion of the works. The items which are to be used inside of the structure and which will be not be feasible to verify after construction is completed, are to be pre-inspected by the AIIA authorized person in presence of bidder. **The supplied goods will be accepted by Institute on approval of the Inspection Committee.**

24. **INCIDENTAL SERVICES:** The works of the setting-up of the Studio is to be completed on the turn-key basis. Hence, all the works related to civil, electrical, electronics activities are to be carried out by the bidder and shall have to complete the work as BOQ. The bidder shall have to handover the full-furnished studio to the Buyer. However, if there are any incidental services required during the setting-up of the Studio, the bidder shall have to complete it on its own resources.

25. **DISTRIBUTION OF DISPATCH DOCUMENTS FOR CLEARANCE/RECEIPT OF GOODS**

The supplier shall send all the relevant dispatch documents well in time to the Purchaser/Consignee to enable the Purchaser/Consignee clear or receive (as the case may be) the goods in terms of the contract. Within 24 hours of dispatch, the supplier shall notify the purchaser, consignee, and others concerned if mentioned in the contract/purchase Order, the complete details of dispatch and also supply the following documents by registered post/ speed post/courier (or as instructed in the contract):

- i. Three copies of supplier's invoices showing contract number, goods description, quantity, unit price and total amount;
- ii. Two copies of packing listed identifying contents of each package;
- iii. Certificate of origin for goods of foreign origin;
- iv. Insurance Certificate.
- v. Manufacturers/Supplier's warranty certificate & In-house inspection certificate.

26. **Taxes, Duties, Incidental Services and Warranties:** Supplier shall be entirely responsible for all taxes, duties, fees, levies, incidental Services, Warranties etc. incurred until delivery of the contracted goods to the purchaser.

27. **Terms and mode of payment:**

27.1. Final Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner:

I. Payment for Goods: Payment will be made after successful completion of the works and its inspection and satisfactory functioning of all the items, devices, equipment's accessories etc. The payment shall be made in Indian Rupees only as specified in the contract.

II. Payment for Annual Comprehensive Maintenance Contract Charges:

The consignee will enter into CMC with the supplier at the rates as stipulated in the contract. The payment of CMC will be made on the last Quarter of the 3rd year onwards on year to year basis after satisfactory completion of said 3 Year free of Cost Warranty period, duly certified by the consignee on receipt of bank guarantee for an amount equivalent to 3% of the cost of the 3 years CMC Value as per contract in the prescribed format given at "**Annexure-V**"

27.2. The supplier shall not claim any interest on payments under the contract.

27.3. Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other tax as applicable will be made from the bills payable to the Supplier at rates as notified

from time to time by the Government.

- 27.4. The supplier shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed with date, to respective consignees.
- 27.5. While claiming payment, the supplier is also to certify in the bill that the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.
- 27.6. While claiming reimbursement of duties, taxes etc. (like custom duty and/or GST or any other taxes) from the Purchaser/Consignee, as and if permitted under the contract, the supplier shall also certify that, in case it gets any refund out of such taxes and duties from the concerned authorities at a later date, it (the supplier) shall refund to the Purchaser/Consignee forth with.

28. OTHERS:

Technical Evaluation Committee/Procurement Committee and other committees as constituted by the Competent Authority will decide regarding approval of Items, Rates and Quantities required to be procured (increase/ decrease in either side as indicated at **Annexure-I**) for different categories of Equipment /items as per requirement of AIIA, DELHI. Decision of the Director, AIIA will be final and binding to all parties.

The Bidder shall not be allowed to transfer, assign, pledge or sub-contract its rights and liabilities under this contract to any other agency(ies) without prior written consent of the Director, AIIA, DELHI. If it is found that the firm has given sub-contract to another Agency, the contract shall stand cancelled & the performance security deposit of such Bidder shall be forfeited by AIIA, DELHI.

The AIIA, DELHI shall not be responsible for any financial loss or other damaged or injury to any item or person deployed/supplied by the Supplier Agency in the course of their performing the duties to this office in connection with purchase order/supply order for supplying/installation/commissioning of the ordered Equipment/Stores/Goods/Items at AIIA, DELHI.

29. FORCE MAJEURE: -

Any failing or omission to carry out the provision of the contract by the supplier shall not give rise to any claim by any party, one against the other, if such failure of omission or arises from an act of God, which shall include all acts of natural calamities such as fire, flood, earthquake hurricane or any pestilence or from civil strikes, compliance with any statute and/or regulation of the Government, lock outs and strikes, riots, embargoes or from any political or other reasons beyond the suppliers control including war (whether declared or not) civil war or state or insurrection, provided that notice or the occurrence of any event by either party to the other shall be given within two weeks from the date of occurrence of such an event which could be attributed to 'force majeure' conditions.

30. DISPUTES AND ARBITRATION:

All disputes or differences arising during the execution of the contract shall be resolved by the mutual discussion failing which the matter will be referred to an Arbitrator who will appointed by the Director, AIIA, DELHI for Arbitration for settlement of disputes in accordance with Arbitration & Conciliation Act 1996 or its subsequent amendment, whose decision shall be binding on the contracting parties.

31. LAW GOVERNING THE CONTRACT AND JURISDICTION:

The contract Governed under Contract Act 1872 Indian Competition Act 2002 and instructions thereon from the government of India issued in this regard from time to time. The Court of DELHI shall alone have jurisdiction to decide any dispute arising out of or in respect of the contract.

32. PERFORMANCE SECURITY DEPOSIT:

The successful Bidder will be liable to deposit 5% of value of the Contract/Purchase Order as Performance Security Deposit in favor of "Director, AIIA DELHI" by way of "Performance Bank Guarantee in the format given at Annexure-VI in the form of Fixed Deposit Receipt" from Scheduled Nationalized/Commercial Bank refundable after expiry of the tenders/or after the completion of 3 years warranty period + 2 months (valid for i.e. 38 months) in case of supply of Equipment, subject to successful fulfillment of terms and conditions, on receipt of requisite No dues certificate from the concerned departments/authorities. Security Deposit is liable to be forfeited if the bidder withdraws or impairs or derogates the bid in any respect. For CMC after expiry of warranty period, the 3% Security Deposit of total CMC cost of Equipment shall require to be deposited by the Bidder to AIIA, DELHI in the format given at "Annexure-VI".

33. RECOVERY OF EXCESS PAYMENT MADE TO SUPPLIER AGENCY:

If a result of post payment audit any over payment is detected in respect of any supply/work done by the supplier Agency or alleged to have been done by the Agency under this Tender Enquiry, it shall be recovered by the Institution from the Agency and Agency is liable to be deposit back the excess extra amount received by them from their agreeable amount as per Purchase Order/Work Order from AIIA DELHI within 30 days' time period as and when they will receive written request from AIIA DELHI in this connection.

34. UNDER PAYMENT TO BE MADE TO SUPPLIER AGENCY:

If a result of post payment audit any under payment is detected in respect of any supply/work done by the supplier Agency under this Tender Enquiry, it shall be duly paid by the Institution to the concerned Supplier Agency.

35. RESPONSIBILITY OF SUPPLIER AGENCY FOR PROVIDING COPIES OF RELVANT RECORDS:

The Supplier Agency shall provide the copies of relevant records during the period of contract or otherwise even after the contract is over as and when asked by AIIA, DELHI.

No bidder/or his representative shall bring or attempt to bring any political or other outside influence to bear upon any superior authority or hospital functionaries to further this business interest. In doing so, tender of the concerned bidder will be rejected without assigning any reason.

36. SERVICE SUPPORT AND REDRESSEAL OF COMPLAINT: All Bidders have to provide a dedicated/Toll free No. for service support and an Escalation Matrix along with Name, Designation and Mobile number of contact person.**37. SUBMISSION OF MORE THAN ONE OFFER:** The bidders shall have to submit only one bid for the instant tenders. If any bidder is participating in this tender through more than one in the bid in the capacity of of Director/ Proprietor/Partner in other firms where the information can be exchanged between two participant, will be treated as cartelization. The act of the cartelization will be treated violation of procurement provisions. All the bidders involved in the cartelization will be outrightly rejected and action of blacklisting will be taken against them.

38. BID EVALUATION CRITERIA:

- (i) All the bidder shall be primarily evaluated on pre-qualification criterion viz having submitted all relevant documents, fulfilling statutory obligations/compliance, Experience, Turnover etc.
- (ii) Bidders fulfilling PQC conditions will be evaluated on technical parameters.
- (iii) Technically qualified bidders will be considered for financial evaluation.
- (iv) Financial Evaluation will be done on the basis of rate quoted for item along with 3-year onsite warranty and cumulative rate for 3 years extended (i.e. 4th to 6th year) warranty/CMC. Price quoted shall be considered final including all taxes/charges etc. as indicated in Bid document.
- (v) For the supply of Spares/ Consumables/Optional Accessories, if any, the selected bidder (L1) shall be bound to supply these items on the lowest rate quoted by any of technically qualified bidder.

39. **Method of Selection:** The bidders will be evaluated on the basis of rate quoted by them for the entire BOQ items. Lowest bidder will be decided on total cost of BOQ items plus CAMC charges quoted by the bidders.

40. EXCLUSIVE RIGHT:

The Director, AIIA DELHI, India has the full and exclusive right to accept or reject, increase or decrease order quantity, any or all the tenders without assigning any reasons and also to cancel the supply at any time without assigning any reason.

Chapter-IV

PART-A

ELIGIBILITY CRITERIA

1. Physical Experience of having successfully completed similar works towards supplies and installation of Multi-Cam Studio Setups in Central Government/ State Government/ PSU/ Private Sector/ Universities/ Reputed Higher Educational Institution during last seven years ending previous day of last date of submission of application. Involving amounts up to at least equivalent to amount-put-to-tender rounded off to a convenient figure. (incomplete or in progress should also be mentioned). Vendor should have experience of doing business sales, service and integration in TV channels (proof of having executed such work should be attached). Copy of purchase order or contract / Completion Certificate/ Satisfactory report from Client, duly attested by bidder should be enclosed along with the Technical Bid.
2. (i)General Bidders shall bid for Turnkey Supply, Installation, Testing, Commissioning & Training for the required Multi-Cam Studio & Post Production Setup including Acoustics, Furniture & Aesthetics customized to available site conditions.
 (ii)OEM of the offered equipment should be internationally reputed Branded Company.
 (iii)The bidder should be a single Company. No consortium is allowed.
 (iv)The bidder must enclose a certificate that the Organization has not been black listed by any institution of the Central/ State / PSU/ University/ Institute etc. in the past three years. Bidder must have a good service center in NCR with sufficient number of on-site service engineers in NCR.
 (v)Vendor shall be responsible for providing training to staff of AIIA, for two weeks' minimum, regarding complete wiring, connections, operations and understanding of equipment.
 (vi)Vendor should ensure professional training to AIIA staff for recording sessions at AIIA for two weeks and make sure AIIA staff has become capable to shoot and make recordings without any external help.
 (vii)The vendor should have experience of handling of Broadcast equipment of minimum 7 years.

3 PART B

Financial

The firm should have average annual financial turnover of at least Rs.40 lakhs during the preceding last 3 consecutive financial years. Copies of the audited balance sheet of the vendor/bidder for the last three financial years, details of Permanent Account Number and ITR (Income Tax Return) for last 3 financial years must be attached by the Bidder.

4. (Technical Bid Document)

i. Those Tenderers, who are not the manufacturer but are authorized by the original manufacturer to supply the goods, should establish their credentials by giving valid documentary evidences OEM Authorization letter (where applicable), table of compliance by OEM for technical specifications of major products, table of compliance for General Terms & Conditions by bidder, unpriced bill of material, equipment specification sheets, etc. relevant for evaluating the technical bid, declaration, Other documents, if any, etc. as per formats provided and where ever applicable. In some cases, like Apple Authorization can be relaxed as per their policy.

(ii)OEM Authorization Letters along with Table of Compliance for Technical Parameters, Duly Signed and Stamped by OEM for following major equipment's have to be provided; -

- PTZ Camera System
- Teleprompter
- Visualizer/Document Camera System
- Video Production Switchers
- Interactive Display

- Trackless Virtual Studio System
 - Streaming Device
 - Centralized Storage System
 - OEM MAF for Audio product like microphones, mixer, amplifier, etc. in studio and controller room
- iii. Bids without above Authorization Letters & Table of Compliance for Technical Parameters from OEM will be Summarily Rejected.
- iv. Ink signed and stamped Table of Compliance for Technical Specifications of all equipment other than Major Equipment (as specified above), shall be provided by the bidder along with Technical Bid.
- v. Check List
- a) Copy of registration of GST.
 - b) Copy of Trade License, Factory License/Excise Registration
 - c) Copy of Income Tax Permanent Account Number
 - d) Copy of Memorandum and Article of Association, Certificate of Incorporation, Partnership Deed, Registration Certificate issued by the Registrar of Firms etc.
 - e) Copy of Authorization for Participation in subject bid (not required in case of Proprietorship firm).
 - f). Authorization certificate and technical compliance from the Original Equipment Manufacturer (OEM) for major equipment as specified above.
 - g) Table of Compliance for Technical Specifications of all equipment other than Major Equipment (as specified above).
 - h) All pages of tender document including various sections and **Annexure-A**, except priced bid to be submitted in **sealed Envelope- "B"**.
 - i) Technical Catalogue/Product Specification Sheet of quoted product should be attached with the technical bid.
 - j) AIIA, can check the authenticity of the Technical Catalogue/Product Specification Sheet from the OEM website or can ask for a duly authenticated copy of the same by OEM.

PART "C"

- i) The PART "C" shall contain the tender documents and information related to the schedule of quantities quoting the rates per Unit/Price etc. of the item pertaining to the Financial Bid on the Financial Bid document, issued by AIIA, along with the tender document.
- ii) Bidder shall also quote for CAMC charges for 4th, 5th & 6th year after Expiry of Standard Warranty of 36 months. CAMC charges will not be considered for evaluation of L1/Lowest Bid criteria.
- iii) All columns shall be duly filled in with specific information on the cost involved.
- iv) The rates for the items shall be quoted in Indian Rupees.

SECTION IV-SCOPE OF WORK & BILL OF QUANTITY(BOQ)

Scope of Work the Selected Bidder shall supply, install and commission the procured hardware Devices as per the scope. The Bidder shall also be responsible for loading and installing any applications or data provided by AICTE on the hardware before offering the same for Pre-Dispatch Inspection. The content shall be provided before signing of the Agreement. The selected bidder shall have to supply, install and commission the requisite quantity of the procured hardware at the mentioned locations at its own cost. Items mentioned in the BOQ are tentative and for the purpose of obtaining the rates of all the items which could be required. However, the payment will be made only for the actually utilized items.

SECTION V - TECHNICAL SPECIFICATIONS

Part C: Studio & Technical Area - Acoustics, Furniture and Aesthetics

S.No.	FEATURE	SPECIFICATIONS	QTY
	The vendor must visit "Space available for Studio" in AIIA Building to physically ascertain customized requirements at site before quoting quantities and rates for various items under this head"		1 Lot
1	Studio Size (For reassurance of measurements, Bidders are suggested to do a site survey before bidding. Changes in cost due to measurements will not be accepted at a later stage)	Studio Wall 1 Studio wall 2 Studio Wall 3 Studio Wall 4 Ceiling	
2	Providing of Acoustic Treatment on the Studio Walls and Ceiling		
3	The studio should have two partitions: - 1. Virtual classroom recording of lecture/presentation etc. 2. Normal recording		
4	- Glass Wool of 32 kg density to be filled between wall and 12 mm thick ply which will be finished with Laminate (inside of the studio) cotton cloth can also be considered with good color combinations.		
5	- Rockwool of 40 kg density to be filled between Wall and the perforated Gypsum or a good sound absorbing material as being proposed for acoustic		
6	Ceiling shall also be acoustically treated with 50 mm thick layer of Rockwool of 40 kg density in a Grid of made up of wire mesh, which will be placed on the perforated Gypsum board, which will be further finished with the paint after jointing and taping		
7	Providing and making 115mm thick brick work (43.3'x15') between Studio and PCR		
8	Providing and fixing of 55mm thick single leaf Acoustic Door of size 2100* 1050 with vision panel of 300x300 and the door hardware including door closer, handle, lock and a door stopper (Door DI and D2)		
9	Providing of 8 mm dual toughened Sand witted Glass Observation Window between Studio and PCR of size 1500x750mm minimum gap between two glasses will be 2".		
10	Providing and fixing of Chroma (10'x14') made up of ply and a carpet of green color to be pasted on		
11	Providing and Installation of MS (Round Tube of 50mm dia) Studio Lighting grid of		

12	Providing and laying of 2mm thick PVC flooring in Studio area		
13	Providing and Fixing of designer Anchor Table of sizewith laminate finish and proper edge binding in suitable ply		
14	Studio Set with LED Back drop with graphic (25*10") along with provisioning of fixing 65" interactive screen		
15	Audience Sitting for 24 persons (6 person / row) on MS fabricated Frame having Steps in one column with Ply base and 100 mm thick soft cushion and 50mm thick back soft back rest, The frame will be grouted on the floor		1 Lot
16	The lighting for audience should be flicker free LED lights with 24/36 watts Total of 16 number and should not go directly on TV/Display monitors.		
17	Sufficient electrical points shall be provided (5 Amp) on UPS supply throughout the studio with good quality, standard make switches and sockets keeping matching the aesthetics of studio		
SITC OF STATE OF THE ART SEMI-CIVIL & ACOUSTICS WORKS/TREATMENT OF PCR and			1 Lot
EDIT/TECHNICAL AREA: The vendor must visit "Present Space available for the Studio" too physically ascertain customized requirements at site before quoting quantities and rates for various items under this head"			
1	PCR Size (For reassurance of measurements, Bidders are suggested to do a site survey before bidding. Changes in cost due to measurements will not be accepted at a later stage)	PCR and Passage Wall 1 PCR Wall 2 PCR Wall 3 PCR Wall 4	
2	Providing of Acoustic Treatment on the PCR Walls		
3	- Glass Wool of 32 kg density to be filled between wall and 12 mm thick ply which will be finished with Laminate inside of the studio		
4	- Rockwool of 40 kg density to be filled between Wall and the perforated Gypsum as being proposed for acoustic		
5	Providing and fixing of 55mm thick single leaf Acoustic Door of size 2100* 1050 with vision panel of and the door hardware including door closer, handle, lock and a door stopper (Door D3)		
6	Providing and Fixing of Acoustic Grid Ceiling (600x600x20) with 15 mm Superfine 32 WH grid system (NRC 0.7) and supports as required at the height as per the drawing/ Inst. Of Engineer Incharge		
7	Providing and laying of 2mm thick PVC flooring		

8	Providing and Fixing of Technical Table at PCR of size 1800x750x750mm with laminate finish and proper edge binding in suitable ply	
9	Providing and Fixing of Cabinets 2400x900mm & 450mm deep, made up of commercial board with Shutters in Prelam MDF	
SITC of STATE OF THE ART SEMI-CIVIL & ACOUSTICS WORKS/TREATMENT OF EDIT/TECHNICAL AREA		1 Lot
1	Double Board Gypsum Partition with proper Jointing, Taping and Painting	
2	Providing and fixing of 35 mm thick Single leaf Door of size 2100* 1050 and the door hardware including door closer, handle, lock and a door stopper (D4 & Main Door)	
3	Providing and Fixing of suitable shape as approved by AIIA with minimum size of 4500x750x750mm with laminate finish and proper edge binding in suitable ply	
4	Providing and Fixing of Acoustic Grid Ceiling (600x600x20) for Edit and Passage area with 15 mm Superfine 32 WH grid system (NRC 0.7) and supports as required at the height as per the drawing/ Inst. Of and directions of AIIA.	
5	Providing and laying of 2mm thick PVC flooring	
6	Providing and applying Acrylic Paint in the passage	

TECHNICAL SPECIFICATIONS**PART D: AIR-CONDITIONING, UPS & ELECTRICAL WORK**

"The vendor must visit "Space available for Studio" in the AIIA Building to physically ascertain customized requirements at site before quoting quantities and rates for item with modified specification according to site conditions under this head"

S.No.	FEATURE	SPECIFICATIONS	QTY
	SITC 2.0 TON CAPACITY Ducted split AIR CONDITIONERS	Noise level not more than 35 Db.	8
1			
2			
3			
4			
5			
6			
7			
8			

TECHNICAL SPECIFICATIONS

PART E: INTEGRATION MATERIAL & ENGINEERING SERVICES

S.No.	FEATURE	SPECIFICATIONS	QTY
SITC OF INTEGRATION MATERIAL & ENGINEERING SERVICES			1 LOT
1	Cabling	It is required to set-up the facility for HD operation therefore all the cabling should support HD operations	
2	Installation Material	All installation materials including racks, power cables, interconnection cables, connectors and other accessories (including nuts, bolts, screws etc.) required for installation of the complete system shall be quoted	
3	System Completeness	Completeness of the system will be responsibility of the bidder The bidder will have to ensure for complete Installation, commissioning , testing and training to staff.	
4	System Completeness	If any material is found short during installation because of which equipment is not functional, completion certificate may not be issued	
5	Workflow Diagram	The bidder has to provide schematic diagram of the technical workflow to ensure the workability of the offered solution in all respects.	
6	Misc. Sub-System	Additional converters, adapters, mounts or fixtures etc have to be supplied by the bidder to complete the workflow, even if the same are not part of the bill of material.	

Annexure-II**Bid Security Declaration by the Bidder**

I/we, M/s _____ hereby undertake and accept that if I/We withdraw or modify my/our Bids during the period of validity, or if I/We am/are awarded the contract and I/We failed to sign the contract, or to submit a performance security before the deadline defined in the request for bids document, I/We _____ shall have no objection if I/We am/are suspended for the two years from being eligible to submit Bids for contracts with All India Institute of Ayurveda, New Delhi.

Seal, Name & Address of the Bidder/Authorized person

Telephone No. & Email ID

MANUFACTURER AUTHORIZATION FORM
(on the letterhead of the Manufacturer)

To,
The Director
All India Institute of Ayurveda,
Gautampuri Sarita Vihar,
New Delhi - 110076

Madam,

Ref. Your Tender Document No. _____ dated _____

We, _____ Who are proven and reputable manufacturers having factories at _____
_____ hereby authorize M/s (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred Tender which are manufactured by us.

- 2) We further confirm that no supplier or firm or individual other than M/s (name and address of the above agent) is authorized to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred Tender Enquiry documents for the above Equipment / Stores manufactured by us.
- 3) We also hereby confirm that we would be responsible for the satisfactory execution of contract placed on the authorized agent including availability of Spares parts for the period of 5 years for supplied equipment to AIIA DELHI.
- 4) We also confirm that the rate quoted by our authorized agent shall not exceed the rate which we would have quoted on direct participation.
- 5) We also undertake to provide all updates (at our own) of the equipment free of cost during the warranty/guarantee period along with spare parts.

Yours faithfully,

[Signature with date, name and designation]

For and on behalf of M/s _____

[Name & address of the manufacturers]

Note:

1. This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
2. Original letter's scanned copy may be uploaded and handed over as and when directed.

Rates for Spares / Consumables / Optional Accessories (If Any)

Sl. No.	Name of the Consumable/ Spare/ Optional Accessories	Life Cycle	Per Unit Price (In ₹) including all taxes

Name(s) & Signature of the Bidder with rubber seal(s)

Name of the Firm.....Date.....Place.....

Annexure-V

FINANCIAL BID**BILL OF QUANTITY**

- BOQ items are tentative and maybe change as per requirement of the Institute.

TECHNICAL SPECIFICATIONS				
S. No.	FEATURES	SPECIFICATIONS	QTY	Rate Per Unit
SECTION A - STUDIO & PRODUCTION CONTROL ROOM				
	SITC OF BROADCAST QUALITY FULL HD CAMERA FOR STUDIO		3	
	Approved Makes: Sony, Panasonic, Bird Dog or Equivalent Which is Seamlessly Compatible			
1	Image Sensor	1" 4K MOS / CMOS sensor or better		
2	Zoom Ratio	12x Optical Zoom or better		
3	Min. Illumination	2 lx or better		
4	Electronic Shutter	Auto/Manual		
5	Video Format	4K 2160/50p, 2160/25p*4 1080/50p, 1080/25p*4, 1080/50i, 720/50p		
6	White Balance	ATW : 3200K, 5600K AWB : AWB-A/ AWB-B		
7	Iris Control	Auto / Manual		
8	Gain Selection	Auto, 0 dB to 36 dB		

9	S/N Ratio	50 dB or more		
10	Panning / Tilting Range	Pan: $\pm 170^{\circ}$, Tilt: -30° to 210° or better		
11	Panning / Tilting Speed	Minimum speed $0.08^{\circ}/s$ Maximum speed $60^{\circ}/s$ or higher		
12	Preset	99 or better		
13	Focal Length	zooming range: 1000 mm or better Wide end: 100 mm or better		
14	Video Output	HDMI Out 12G-SDI or 4K out on Quad SDI 3G-SDI OUT		
15	Reference input	BBS (Black Burst Sync), tri-level sync supported		
16	Control	Control on Web browser PTZ Remote Control Panel on Suitable Protocol		
17	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF SITC OF REMOTE CONTROL PANEL FOR STUDIO CAMERAS			1	
Approved Makes: Sony, Panasonic, Birdog or Equivalent Which is Seamlessly Compatible				
1	Type	Controller for PTZ Cameras (Should be compatible with above PTZ camera		
2	Maximum Camera Control	99 or more Camera Control on IP on Direct Serial Connections 5 or More		

3	Present (Position)	presets 99 or better		
4	Control	Control of Pan, Tilt, Zoom, and Focus Operation Auto Black Balance Iris Control		
5	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF BROADCAST QUALITY PTZ CAMERA WITH CEILING MOUNT			1	
Approved Makes: Sony, Panasonic, Birdog, Data Video, Ross or Equivalent Which is Seamlessly Compatible				
1	Type	PTZ Ceiling mount Camera to be used as Document camera		
2	Video format	1080p 60/59.94/50/30/29.97/25 1080i 60/59.94/50 720p 60/59.94/50		
3	Image Sensor	1/2.8 inch high quality HD CMOS sensor or better		
4	Effective Pixels (approx.)	2.07 Mega pixels or Better		
5	S/N Ratio	50dB or better		
6	Min. Illumination	1.0 Lux (F1.8, AGC ON) or better		
7	Electronic Shutter	Auto / Manual		
8	Zoom Ratio	12x Optical Zoom, Digital Zoom or better		
9	White Balance	Auto, Manual, one Push, 3000K, 4000K, 5000K, 6500K		
10	Mirror / Flip Image	Required		
11	Focus Mode	Auto / Manual		

12	Panning / Tilting Range	Pan: +170 ⁰ , Tilt: +90 ⁰ to -30 ⁰ or better		
13	Panning / Tilting Speed	Pan: 0.660 ⁰ /sec, Tilt: 0.1 ^N 30 ⁰ /sec or better		
14	Preset	100 Position or better		
15	Focal Length	f=5.2 (wide) to 98 (tele) mm , F1.6 to F3.5		
16	Video Output	HDMI x 1, SDI x 1		
17	Audio Input	3.5mm Line in		
18	Protocol	VISCA/Pelco-D/Pelco-P;		
19	Remote Control Interface and Transmit Distance	RJ-45: for IP control, RS-232, RS-485		
20	Video Compression Format	H.264, H.265, Dual stream output		
21	Audio Compression Format	AAC/MP3/PCM Audio compression or AAC/MP3/G.711A		
22	HD IP Interface	100M IP port(100BASE-TX)		
23	Network Protocol	RTSP, RTMP		
	IR Control	Handheld IR Remote Control		
25	Accessory	Should be supplied with Ceiling Mount and Bracket		
SITC OF TRIPODS WITH DOLLY FOR CAMERA LOAD			2	
Approved Makes: Monforte, Libel, E-image, Miniboom or Equivalent Which is Seamlessly Compatible				
1	Section	Two-Stage Aluminum Tripod System		
2	Payload	6 kg or better		
3	Ball diameter	75mm or better		
4	Section	2 STAGE		
5	Dolly	Compatible Dolly		

6	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF TELEPROMPTER SYSTEM FOR PTZ CAMERA			1	
Approved Makes: Auto script, Autocue, Cuescript or Equivalent Which is Seamlessly Compatible				
1	Type	Teleprompter System for Mounting PTZ Camera. Should be mountable on tripod and/or support stand. Suitable Stand to bear the payload of TP mount and PTZ Camera Should be quoted.		
2	Mounting Hardware & Monitor	15" or better Professional Display along with Teleprompter mounting Hardware, Brightness: 350 Nits or better Screen Resolution :1024x768 or better Reverse/Rotation: 4-way picture orientation Video: Autosensing PAL/ NTSC/VGA Composite		
3	Controller	Should be supplied with 8 Button desktop hand control device that should support adjustment of the speed and direction of scrolling text on the prompter. Should support quick command buttons for navigation around the script and trigger configurable commands		
4	Feature Support	Teleprompter software with following features support Adjustable Font Size Date & Time Display Story editing on the fly Hold & Block Stories		

		<p>Import RTE, DOC, HTML</p> <p>User- friendly Interface</p> <p>Should be supplied with suitable I/O interface to connect with Camera Mount Teleprompter Display</p>		
5	Teleprompter Terminal	Teleprompter should be supplied with latest configuration PC/Laptop & peripherals with latest licensed windows OS and should have robust teleprompting software designed for professional shoots with ability to easily import MS word, .txt, and .rtf files.		
6	Support System	<p>Suitable Heavy Duty Stand / Tripod with</p> <p>Dolly/Wheels having load bearing capacity of 25 Kg or more should be supplied along with the Teleprompter.</p>		
7	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
DESKTOP COMPUTER/LAPTOP SYSTEMS FOR TELEPROMPTER			1	
Approved Makes: Dell, Lenovo, HP				
1	Type	Laptop or Desktop		
2	Processor	min. latest generation i5 Processor		
3	Ram	8GB or better		
4	Hard disk	1 TB or better		
5	Screen size	15" in case of laptop and 18.5" in case of desktop		
6	Interfaces	HDMI interface for extended display		

7	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF DIGITAL VIDEO PRODUCTION SWITCHER FOR TV STUDIO			1	
Approved Makes: Sony, Ross Video, Panasonic, For-A, Newtek (Trickster) or Equivalent Which is Seamlessly Compatible				
1	Inputs	Minimum 12 or more Inputs with atleast 8 or more 3G/HD/SD SDI		
2	Outputs	Minimum 6 outputs with 3 or more 3G/HD/SD SDI and 2 or more HDMI		
3	Video Input Interface	Video Input Interface: HD-SD SDI, BNC, 75 ohms, SMPTE 259M / 292M (1.5 Gbps or 270 Mbps)		
7	Video Output Interface	Video Output Interface: BNC, 75Q, HD -SD SDI 1080/50i 1.5 Gbps or 576/50i 270 Mbps		
4	CG Software	CG Software: External / Inbuilt CG software to create still graphics and overlay on program Out		
5	Signal Processing Standards	SD - 480/59.94 - and 16:9 1 576/750 - and 16:9, HD - 720p 50/59.94, 1080i 50/59.94 1080pSF, 23.98/25/29.97 1080p 25/29.97, 3G - 1080p 50/59.94		
8	Hardware Control Panel	All in one electronic & hardware control panel surface or hardware control panel with separate main frame		
9	Software Control Panel	Should support Software Control Panel		
10	Mix Effect Buses	1 ME with 4 full function keys plus transition keyer or better		
12	Chroma Key	Minimum 1 Chroma keyer		

13	DVE	2 (2D) floating DVES to be utilized in any keyer in the system		
14	Wipe Generator	Built-in Wipe Generator for M/E		
15	Pattern Generator	Minimum 2 Pattern Generators		
16	Frame Syncs & Format Converters	6 or more freely-assignable Frame Syncs & Format Converters		
17	Multiviewer	1 Built-in MultiViewer with tally, source names, and clock. Configurable with up to 10 windows		
18	Custom Macros	72 Custom Control Macros to be available for direct usage from the control panel		
19	Tallies	IP, Serial & Parallel Tallies		
20	GPI/o	16 or more GPI/O Connections		
21	Media Store	2 Channels of Media Store		
22	Preview	Should provide preview all the sources and various effects created		
SITC OF 4K UHD LED DISPLAY PANEL FOR PCR MULTIVIEW & STUDIO FOLDBACK			3	
Approved Makes: Sony, Panasonic, LG or Equivalent Which is Seamlessly Compatible				
1	Screen Size (Diagonal) / Aspect ratio	55" / 16:9 or better		
2	Panel Type	IPS Panel / D-LED		
3	Resolution (H x V)	3840 x 2160 pixels		
4	Brightness	400 cd/SqM Or Better		
5	Viewing Angle (Horizontal/Vertical)	178° / 178°		

6	Inputs	Min HDMI x 1 DisplayPort x 1 DVI-D 24-Pin x 1 D Sub/VGA 15-pin x 1 USB x1 Or better		
7	Control/Others	Lan (RJ-45) Serial In (RS232C)		
8	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF FULL HD INTERACTIVE DISPLAY PANEL			1	
Approved Makes: Samsung, Panasonic, Sony, LG or Equivalent Which is Seamlessly Compatible				
DISPLAY				
1	Screen Size (Diagonal)	65 inch		
2	Panel Type / Backlight	IPS Panel		
3	Aspect Ratio	16:9		
4	Resolution	3,840 x 2,160 (UHD)		
5	Brightness	300 cd/m ² or better		
6	Contrast Ratio	1200:1 or better		
7	Response Time	10 ms or better		
8	Viewing Angle (Horizontal / Vertical)	176 degrees / 176 degrees		
9	Panel Life	30000 hours or better		
TOUCH PANEL				
10	Detection Method	Infrared		

11	Touch operation	Min 12 Touch points or better		
12	OS Support	Windows 7/8/10/Windows/Linux/Mac/Android (Windows/Linux/Mac Support one point touch)		
	CONNECTION TERMINAL			
13	Input	HDMI Type A x 2, Component/RGB x 1, USB : at least 3 USB ports		
14	Output	HDMI		
15	Slots	Should have slot to directly integrate PC in the Interactive Display Should be quoted with PC mountable on Interactive Display with Min i3 Processor, 4GB RAM, 250GB HDD		
	AUDIO			
16	Built in Speaker	15 Watt or better		
17	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF TRACKLESS 3D VIRTUAL STUDIO SYSTEM			1	
Approved Makes: Monarch, Data video, Wasp 3D or Equivalent Which is Seamlessly Compatible				
1	Type and features	Integrated 3D Virtual Studio, Switcher, Character Generator, Recorder and Streaming system		
2	Type and features	2 live inputs and should support Trackless Virtual Studio		
3	Type and features	2x DSK to add CG and animations to the scene		

4	Type and features	Chroma key facility		
5	Video Input	Two 3G/HD-SDI and one AUX		
6	Video Output	Two 3G/HD-SDI and one AUX		
7	Format	1080p 60/59.94/50/30/29.97/25 1080i 60/59.94/50		
8		720p 60/59.94/50		
9	Audio Input	SDI audio embedded x 2 HDMI audio embedded x 1 Mini Phone Jack x 2		
10	Keyer	Chroma key / Luminance key x 2		
11	Recording	H.264 / MPEG-2		
12	Live Streaming Protocols	TS TS RTP TS UDP TS RTSP FLV HTTP FLV RTMP		
13	Virtual Studio	Min. 25 standard Virtual sets along with the system		
14	Should Include	1TB or better Media Cartridge		
15	Hardware	Suitable Hardware with complete accessories to run 3D Trackless virtual system		
16	Display	Should be quoted with two 21" FHD Monitors		
17	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF AUDIO DELAY UNIT			1	
Approved Makes: Sonifex, Data video, Markertek or Equivalent Which is Seamlessly Compatible				
1	Type	6-Channel Audio Delay		
2	Audio Input	6x XLR (Balanced) , Line input on RCA or TRS or better		
3	Audio Output	4x XLR (Balanced), 2x RCA/TRS		

4	Audio Delay	Up to 3 Seconds		
5	Feature	Audio Delay and Mix, delay by channel		
6	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF 4 CHANNEL VIDEO STREAMING ENCODER			1	
Approved Makes: Matrox, Datavideo or equivalent				
1	Application	HD / SD real time media Media Trans-coding, Decoding, Recording and Streaming Platform		
2	Streaming	Should support streaming of live or recorded media		
3	Inputs	4 x SDI		
4	Streaming Protocols	Pull in RTMP, RTSP, HTTP, UDP and TCP; Push out RTMP, UDP unicast and multicast		
5	Streaming Platforms	Should support simultaneous streaming to various platforms like YouTube, Facebook or websites		
6	Recording	Should support recording on inbuilt 2.0 TB hard drive		
7	VoD	Should support Video on Demand application		
8	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF 20 CHANNEL ANALOG AUDIO MIXER CONSOLE			1	
Approved Makes: Soundcraft (Harman), Yamaha, Behringer, Mackie, Tescam or Equivalent Which is Seemlessly Compatible				
1	Mixing Channels	20 Channel or better Audio Mixer with Min. 16 Mic		

		Pre amps on Balanced XLR		
2	AUX	4 x Pre/Post or better		
3	Subgroups	4 mono/2 stereo or better		
4	Mic inputs	MIC: 16		
5	Phantom Power	Phantom Power on all mic channels		
6	Fader	100mm		
7	USB Interface	2-in/2-out		
5	Bands	4-band		
6	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF AMPLIFIED/POWERED SPEAKERS			4	
Approved Makes: KRK, Harman, Yamaha, Audix, Genelac, Tannoy				
1	Type	2 Way Active Studio Monitor		
2	Frequency Range	50 Hz-18 kHz or better		
3	Max Peak SPL	100 dB or better		
5	I-F Driver Size	Min. 5" to Max. 6.6"		
6	HF Driver Size	1" or better		
7	Low-Frequency Amplifier Power	40 watts or Better		
8	High-Frequency Amplifier Power	40 watts or Better		
9	Total Power Output	80 Watt or Better		
10	Input Types	1 x XLR, 1 x TRS Balanced		
11	AC Input Voltage	100-240 VAC +/- 10% 50/60 Hz		

12	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF DIGITAL SIGNAL PROCESSOR			1	
Approved Makes: Harman, Rane, Klark Teknik, Labgruppen, Yamaha or Equivalent Which is Seamlessly Compatible				
1	Feature	Networked Digital Signal Processor		
2	Input	12 Analog Inputs (with 48v Phantom Power per Channel)		
3	Output	8 Analog Outputs		
4	GPIO	12 Control Inputs and 6 Logic Outputs for GPIO Integration or better		
5	Indicators	Front Panel LED Indication		
6	Analog Inputs	12 electronically balanced		
7	Mic/Line Inputs	Nominal gain 0dB, electronically switchable up to +48dB, in +6dB steps		
8	CMRR	75dB at 1KHz or better		
9	Phantom Power	48V nominal, selectable per input		
10	Analog Outputs	8 electronically balanced		
11	Frequency Response	20Hz-20KHz or Better		
12	Dynamic Range	108dB typical or better		
13	Control Ports	12 inputs and 6 outputs		
14	Control Network	RJ45 Ethernet connector		
15	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF AUDIO AMPLIFIER			1	

Approved Makes: Harman, Labgruppen, Yamaha, LD Systems or Equivalent Which is Seamlessly Compatible				
1	Type	4 channel amplifier with Network control, DSP, Monitoring Class D or better		
2	Output power	300W per output channel		
3	Frequency response	20Hz - 20kHz +/-0.5dB		
4	Input Impedance	20 kQ balanced, 10 kQ unbalanced		
5	Crosstalk	80dB or better		
6	Voltage Gain	4/8Q, 70Vrms and 100Vrms Operation : 34dB		
7	Common Mode Rejection	70dB or better		
8	S/N ratio	104dB or better		
9	DSP	On-board Digital Signal Processor		
10	Other Features	Input Router <ul style="list-style-type: none"> • Input Delay— Up to 1000ms • Input Parametric EQ— 8 band • Crossover • Output Parametric EQ— 8 band • Output Delay — Up to 100ms 		
11	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF TWO WAY LOUD SPEAKERS			4	
Approved Makes: Harman, Bose, B&W, Tannoy, LD Systems or Equivalent Which is Seamlessly Compatible				
1	Type	Two-way Min. 5" to Max 6.5" Wall Mount Speaker		
2	Frequency range	85 Hz— 18 kHz or Better		
3	Nominal coverage	120H X 120QV		

4	Components	5.25 inch IF and 0.75 inch HF (+- 5%,)		
5	Power Capacity	60 Watts		
6	Nominal impedance	8 ohms		
7	Transformer Taps	10 w, 5 W 2.5W (@ 70b')		
8	SPL	100 dB at 8 Ohm or Better		
9	Accessories	Wall-mounting system		
10	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF WIRELESS LAPEL MICROPHONE			4	
Approved Makes: Sennheiser, AKG, Audio Technica, Shure or Equivalent Which is Seemlessly Compatible				
	Receiver			
1	Switching bandwidth	30.5 MHz or better		
2	Sensitivity	6.3 dBuV / -100 dBm or better		
3	Diversity System	True Diversity / Microprocessor-controlled diversity		
4	Modulation	Wideband FM		
5	Audio bandwidth	40 — 18 000 Hz or better		
6	T.H.D.	0.3 % or better		
7	SNR	100 dB or better		
8	Audio outputs	1 x XLR sockets balanced, 1 x TS W' / 6.3 mm jack sockets unbalanced		
	Transmitter (Battery Operated)			
9	Switching bandwidth	30.5 MHz		
10	RF output power	10 to 50 mW		
11	Modulation	Wideband FM		
12	Audio input	TB3M / 3-pin mini-XLR socket or Compatible with Transmitter		

13	Audio bandwidth	40 — 18 000 Hz or better		
	T.H.D.	0.7 % or better		
15	SNR	100 dB or better		
	Lapel Mic			
16	Condenser lavalier microphone	Cardioid Polar Pattern		
17	Audio frequency bandwidth	150 - 18000		
18	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF LAPEL MICROPHONE			4	
Approved Makes: Sennheiser, AKG, Audio Technica, Shure or Equivalent Which is Seemlessly Compatible				
1	Transducer Principle	Pre-polarized condenser		
2	Frequency Range	40—18,000 Hz or better		
3	Polar Pattern	Omni-directional		
4	Sensitivity	Sensitivity at 1,000 Hz: 7 mV/Pa		
5	Sound Pressure Level for 1% THD	110 dB or better		
6	S/N Ratio	60 dB or better		
7	Phantom Power	9—52 V phantom power		
8	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF WIRELESS HANDHELD MICROPHONE			4	
Approved Makes: Sennheiser, AKG, Audio Technica, Shure or Equivalent Which is Seemlessly Compatible				

	Receiver			
1	Switching bandwidth	£30.5 MHz		
2	Sensitivity	6.3 dBgV / -100 dBm or better		
3	Diversity System	True Diversity / Microprocessor-controlled diversity		
4	Modulation	Wideband FM		
5	Audio bandwidth	40 — 18 000 Hz or better		
6	T.H.D.	0.3 % or better		
7	SNR	100 dB or better		
8	Audio outputs	1 x XLR sockets balanced, 1 x TS 1/4" / 6.3 mm jack sockets unbalanced		
	Transmitter (Battery Operated)			
9	Microphone capsules	Dynamic (super cardioid)		
10	Switching bandwidth	£30.5 MHz		
11	RF output power	10 to 50 mW		
12	Audio bandwidth	40 — 18 000 Hz or better		
13	Modulation	Wideband FM		
14	Max. SPL	120 dB or better		
15	T.H.D.	0.7 % or better		
16	SNR	120 dB or better		
17	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF EAR PIECE FOR ANCHOR			3	
Approved Makes: Telex, Voice Technologies or Equivalent Which is Seemlessly Compatible				
1	Type	Anchor Ear Piece with acoustic Tube with 125Q, 5' (1.5M) cord, and 1/4" plug.		

2	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF PROFESSIONAL HEADPHONE			2	
Approved Makes: AKG, Sennheiser, Audio Technica, Bose				
1	Headphone type	Closed-back		
2	Wearing Style	On-ear		
3	Audio frequency bandwidth	20 - 18000 Piz or Better		
4	Sensitivity headphones	105 dB SPL or Better		
5	Rated Impedance	32 Ohms or Better		
6	Audio Interface	TypeStereo plug: 3.5mm (1/8") with 6.3 mm (1/4") screw-on adapter		
7	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF AUDIO EMBEDDER			2	
Approved Makes: AJA, Datavideo, Cobalt, Ross				
1	Type	SDI and 2-CH Audio Embedder		
2	Input	1x 3G-SDI BNC or better		
3	Output	1x 3G-SDI BNC or better		
4	Audio Inputs	RCA / Mini*LR /XLR inputs		
5	Output	Two or more SDI outputs with embedded Audio		
6	Firmware Upgradation	Feature Required		
7	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		

SITC OF SDI DISTRIBUTION AMPLIFIER			2	
Approved Makes: AJA, Datavideo, Cobalt, Ross or Equivalent Which is Seemlessly Compatible				
1	Input	2 x 3G/HD/SD-SDI inputs		
3	Audio	Should support embedded Audio SDI		
4	Input Control	Two input video sources should be controlled by A/B switch or GPI remote (non-locked)		
5	Power	DC-12V		
	Supported video formats:			
6	3G-SDI	1080P 50/59.94/60		
7	HD-SDI	1080P 23.98/24/25/30 1080i 50/59.4/60 720P 50/59.94/60		
8	SD-SDI	525i /625i		
9	Firmware Upgradation	Feature Required		
10	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF AUDIO DISTRIBUTION AMPLIFIER			1	
Approved Makes: AJA, Sonifex, Datavideo, Kramer or Equivalent Which is Seemlessly Compatible				
1	Type	Audio Distribution Amplifier with 1 input and 4 outputs or better		
2	No. of Inputs	Two Balanced Audio input		
3	level	+0 dbu (+20 dbu Max.)		
4	Impedance	600 or 20k ohm's balanced.		

5	Output level	+0 dbu nominal into 600 ohm's		
6	Gain control	db		
7	Frequency response	35 Hz to 18KHz or Better		
8	No.of outputs	Four stereo		
9	Firmware Upgradation	Feature Required		
10	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF SDI TO HDMI CONVERTER			2	
Approved Makes: AJA, Datavideo, Cobalt, Ross or Equivalent Which is Seemlessly Compatible				
1	Input	1 x SDI, 1 x unbalanced audio		
2	Output	1 x HDMI, 1 x SDI (loop through)		
3	Output Resolutions	Video output format is the same as the input format		
4	Equalizer	Should be supported		
5	Reclock	Should be supported		
6	Firmware Upgradation	Feature Required		
7	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF HDMI TO USB CONVERTER FOR ONLINE VC MEETING			1	
Approved Makes: Datavideo, AJA, Osprey, Birddog or Equivalent Which is Seemlessly Compatible				
1	Type	HDMI-USB Capturing device		
2	Compatibility	Should be compatibe with various operating systems		

3	Compatibility	Amcap, Google Plus Hangouts, OBS (Open Broadcast Software), Skype, VLC, Xsplit Broadcaster, Zoom.us Linux: VIC, OBS Mac OS X: OBS, Quicktime player, VLC, Facetime		
4	Input	1x HDMI		
5	Output	1x USB 3.0		
6	Supported Input & Output Video Formats	1920 x 1080p 60/59.94/50/30/29.97/25 1280 x 720p 60/59.94/50 1024 x 768p 75/60 800 x 600p 75/60 720 x 576p 50 720 x 480p 60 640 x 480p 75/60		
7	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF UP/DOWN/CROSS CONVERTER			3	
Approved Makes: AJA, Datavideo, Cobalt, Ross or Equivalent Which is Seemlessly Compatible				
1	Type	Up/Down/Cross Conversion		
2	Input	VGA x 1, HDMI x 1 , HD/SD-SDI x 1 or better		
3	Output	SDI x 2, HDMI x 1, SDI Loop thru BNC or better		
4	Supported video output formats:	1080p60/59.94/50, 1080p30/29.97/25/24/23.98, 1080i60/59.94/50, 720p60/59.94/50, 525i, 625i		
5	Audio Format (Input):	Analog Audio L/R : stereo audio SDI / HDMI embedded audio		
6	Audio Format (Output):	SDI embedded audio up to 8CH, 48KHz, PCM audio HDMI embedded audio up to 8CH, 48KHz, PCM audio		

7	Firmware Upgradation	Feature Required		
8	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF PROFESSIONAL SSD BASED DIGITAL VIDEO RECORDER & PLAYER WITH INBUILT DISPLAY			1	
Approved Makes: AJA, Datavideo, Atomos, BMD or Equivalent Which is Seemlessly Compatible				
1	Display Size	17" or better		
2	Resolution	1920 x 1080 or Better		
3	Bit depth	10-bit or better		
4	Brightness	1200nit or better		
5	Video Input	Selectable Dual 12G/6G/3G/1.5G SDIHDMI (2.0)		
6	Video Output	SDI 1x 4K-SDI 12G/6G/3G/1.5G, HDMI (2.0)		
7	Audio In/Out	8 Channel in HDMI and SDI embedded or better Line in / Mic in Headphone out		
8	Color Gamut	REC709		
9	Format Support	720p 50/60, 1080i 50/60 1080pSF 24/25/30 1080p 24/25/30/50/60/100/120 2160p 24/25/30/50/60		
10	Power	DC input direct or through adaptor and battery operable		
11	Recording Media	2 Qty - Min 500GB SSD with any required enclosure should be supplied		
12	Genlock	Required		
13	Docking Device	External docking device with USB 3.0 connector for connection of above SSD with Host computer Min 1x Per Recorder		
	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		

SITC OF 90 WATTS LED COOL LIGHTS FOR STUDIO			16	
Approved Makes: Aultra, Shenoy, Canare, Leksa or Equivalent Which is Seemlessly Compatible				
1	Type	90W LED light 3200K, 5600K panel complete with 4 leaf barn door, 2 diffusers, normal operated yoke provided.		
2	Lamp power	90W or better		
3	Color Temperature	3200K, 5600K		
4	Dimming	0-100% through manual and DMX		
5	CRI	CRI.> 90 or better		
6	Beam Angle	300		
7	Operating Temperature	-30° C to +55°C		
8	Protection Rating:	IP 20		
9	Mounting Accessory	Die cast aluminium "C" clamps and Safety bond 1.5Mtr long with lock clip		
10	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF DIMMER CONTROL			2	
Approved Makes: Semlessly Compatible with Offered Studio Lights or Equivalent Which is Seemlessly Compatible				
1	Type	Professional 24-Channel or better DMX Lighting Console		
2	Feature Support	24 preset channels, assignable to 512 DMX channels		
3	Feature Support	Dimmer control via DMX or analog output		
4	Feature Support	Illuminated display/controls and Lamp socket for easy operation in dark stage environments		
5	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		

SECTION B - PRESENTATION SETUP				
SITC OF 2 IN 1 LAPTOP			1	
Approved Makes: HP, DELL, MICROSOFT				
1	Type	Convertible 2 in 1 Laptop with Stylus		
2	Processor	Intel Core i5 Latest generation or better		
3	Screen	14-inch or better FHD Touchscreen 2-in-1		
4	RAM	8GB RAM or Better		
5	Media	1TB HDD		
6	OS	Windows 10		
7	Additional Applications	Microsoft office latest version		
8	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SECTION C - PRODUCTION STORAGE & POST PRODUCTION				
SITC OF ENTERPRISE-CLASS UNIFIED NAS WITH 200 TB USABLE STORAGE			1	
Approved Makes: Infortrend, Promise, DDP, QSAN or Equivalent Which is Seemlessly Compatible				
1	Storage Type	Storage system should have 21J Rack mountable & should support minimum 16x 2.5"/3.5" SATA HDD .		
2	Processor	should have at least 1x Intel Xeon 6 core or higher CPU		

3	Memory	System should have minimum 16GB DDR4 memory & expandable upto 64GB		
4	Host board port options	System should capable for having 2 x 16 Gb/s FC 4x 8 Gb/s FC 2 x 10 Gb/s iscsi (RJ45) 4 x 10 Gb/s iSCSI (SFP+) 4x 1 Gb/s iSCSI		
5		Initially Quote with 4x1GbE + 4x10GbE (SFP+) ports		
6	Supported drives	Support drives including SSD, SATA HDD in the same enclosure		
7	Features	Proposed storage should have true unified storage architecture, should support File, Block and Object storage. All these protocols should be supported and licenses for full storage capacity should be quoted for the duration of the product lifecycle NFS, CIFS/SMB, AFP, FTP, SFTP, WebDAV, REST API, IGB/s, IOGb/s and (RJ-45, SFP+), IOGb/s FCOE, 8Gb/s, 16Gb/s Fibre Channe,		
8	Features	Storage should be able to separate the File Level share folder control with file protocols for secure file sharing process (like sharing one folder on HITP or FTP only and share another folder on CIFS or AFP only.)		
9	Automated support request	Proposed Storage should have option to automatically create support ticket with relevant logs with the OEM support in case of critical event.		
10	Expansion	System should be scalable to minimum 432 drives by using 12G SAS connected expansion enclosure.		
11	Capacity	Should have minimum 200TB usable storage capacity after RAID5 + Hot spare		
12	Hot spare drive	Should have one Hot spare drive every after 15 drives		
13	File System	Support inbuilt file system which can support single volume size up to 2PB. License for full capacity should be quoted upfront		

14	Cloud Support	Cloud - Support cloud provider: Amazon S3, Aliyun, Microsoft Azure, Openstack Swift, Google Cloud. If any additional hardware is required for cloud integration it should be quoted for the full capacity upfront		
15	Cloud Support	Cloud Disaster Recovery automatically make the hidden snapshot to cloud, allow administrator to use the last snapshot for roll-back.		
16	Cloud Support	Support deduplication/compression feature before data migrate to cloud provider		
17	Features	Storage should support Automated Storage Tiering, SSD Cache, Thin Provisioning, Volume Mirror/Copy, Block level Remote replication, File level Remote Replication (Rsync), Snapshot.		
18	Features	Intelligent multi-level drive spin-down		
19	Accessories	Required SFP modules/Optical FC cables		
20	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF 24 PORT ETHERNET SWITCH			1	
Approved Makes: Dell, Cisco, Edgecore, HP or Equivalent Which is Seemlessly Compatible				
1	Type	24 Port Ethernet Switch		
2	Layer	Layer 2 Switch		
3	Network Media	22 x 10/100/1000 Mbps, 2 x 10G SFP+		
4	No of Ports	24 Port		
5	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF WORKSTATION FOR VIDEO EDITING			2	
Approved Makes: Dell, HP, Supermicro, Tyrone or Equivalent Which is Seemlessly Compatible				

1	Processor	Processor 2 x Intel® Xeon® E5-2640 v4 Processor (10 Core/2.4 GHz/25M Cache)		
2	Chipset	Intel C612 chipset		
3	RAM	64GB ECC DDR4 2133 MHz RAM (Max 512GB, 16RDIMMs)		
4	Controller	SATA3 (6Gbps) Controller Supports RAID 0, 1, 10		
5	HDD	2 x 2TB Enterprise SATA 7.2K RPM Hot swap 3.5" I-DDD (Max 8 HDDs) 2 x 1TB Enterprise SATA 7.2K RPM Hot swap 3.5" HDD		
6	Optical Drive	Blue-ray rewritable drive		
7	Network	2x RJ45 Gigabit Ethernet LAN ports		
8	Graphics Card	1 x NVIDIA Quadro P5000 16GB		
9	OS	Windows 10 Professional 64 Bit		
10	Capture Card	PCIe Video Capture Card with Capture Software DeckLink 4K Extreme 12G		
11	Additional Software for Video editing	Supply & Installation of Adobe Premiere Pro Yearly Subscription Plan for Educational Purpose		
12	Peripherals	27" 4K LED Display, Keyboard and Mouse		
13	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
14		Alternate : Equivalent or better configuration in Apple Mac Pro Tower Machine. With all necessary licenses like above mentioned		
SITC OF 8 Channel Audio Mixer with USB Interface			2	
Approved Makes: Soundcraft, Yamaha, Behringer or Equivalent Which is Seemlessly Compatible				
1	Type	Analog Mixer with USB interface		

2	Channels	8 Channel Audio Mixer		
3	Inputs - Mic Preamps	2 x XLR or Balanced TRS		
4	Inputs - Line	4 x 1/4" (2 x stereo), 2 x RCA		
5	Outputs - Main	2 x XLR		
6	Aux Sends			
7	EQ Bands	3-band EQ		
8	Computer Connectivity:	USB - 2-in/2-out connectivity		
9	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF MICROPHONE FOR VOICE-OVER			2	
Approved Makes: Coles, Sennheiser, AKG or Equivalent Which is Seemlessly Compatible				
1	Type	Dynamic vocal microphone		
2	Polar pattern	Supercardioid		
3	Frequency range	80Hz to 18kHz or Better		
4	SPL	140dB or Better		
5	Equivalent noise level	-18dB or Better		
6	Sensitivity	2.6 mV/Pa or Better		
7	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF AMPLIFIED/POWERED SPEAKERS (PAIR)			2	
Approved Makes: Harman, Tannoy, Audix, LD Systems or Equivalent Which is Seemlessly Compatible				
1	TRANSDUCERS	LF: 135 mm (5.25 in) low frequency loudspeaker or better HF: 19 mm (.75 in) Polycarbonate dome tweeter or better		

2	FREQUENCY RANGE	80 Hz - 20 kHz or better		
3	AMPLIFIER POWER	35 Watts per channel or better		
4	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF PROFESSIONAL HEADPHONES			2	
Approved Makes: AKG, Sennheiser, Audio Technica, Bose or Equivalent Which is Seemlessly Compatible				
1	Headphone type	Closed-back		
2	Wearing Style	On-ear		
3	Audio frequency bandwidth	20 - 18000 Hz or Better		
4	Sensitivity headphones	105 dB SPL or Better		
5	Rated Impedance	32 Ohms or Better		
6	Audio Interface	TypeStereo plug: 3.5mm (1/8") with 6.3 mm (1/4") screw-on adapter		
7	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SECTION D - OUTDOOR/EFP/LOCATION SETUP				
SITC OF 4K HANDHELD AND TRIPOD MOUNTABLE CAMERA SYSTEM WITH ACCESSORY			2	
Approved Makes: Sony, Panasonic, Canon, JVC or Equivalent Which is Seemlessly Compatible				
	Camera			
1	Image sensor	1" MOS/ CMOS Single chip Image Sensor		

2	Effective Pixels per Sensor	14 Megapixel or more		
3	Lens	Optical Zoom and 10 x Digital zoom or better		
4	Optical System	F1.6 prism system		
5	Neutral Density filter	Clear, 1/4, 1/16, 1/64		
6	Optical Image stabilizer	Required		
7	Sensitivity	F12 or better on (2000 lx, 3200 K, 89.9 reflect		
8	Horizontal Resolution	2,000 TV lines or more (3840 x2160p mode) or better 1,000 TV lines or more (1920 x1080p mode) or better		
9	Shutter Speed:	1/25 sec to 1/10,000 sec or better		
10	Monitor/Viewfinder	3.5" type TFTLCD color monitor and 0.39 type OLED Viewfinder		
	Video/Audio Recording			
11	Recording Media	SXS/SDHC/SDXC/ Micro P2 Memory card		
12	Recording resolution	3840 x2160 (UHD), 1920 (FHD), 1280 (HD) 720 (SD), 720 (SD)		
13	Recording Formats	XAVC/MOV(AVC)/MOV(HAVC)/AVCHD		
	Live Streaming	Network Protocol: RTSP/RTP/RTMP Video Compression Format: H.264/MPEG4 AVC Main Profile, High Profile Audio Compression Format: AAC LC		
	Interfaces			
15	Video Output:	BNCx1HD-SDI, SD-SDI		

16	HDMI Out:	HDMI:4:2:2/10 bit UI-ID / HD /SD format support		
17	Audio Input:	XLR-type 3-pin (female) (x1)		
18	Audio Output:	3.5 mm diameter stereo mini jack x 1,		
	Accessories	Battery, Battery charger, AC adaptor, AC cable, Microphone holder kit, Shoulder strap, Eye cup.		
19	Additional battery (with each Camcorder)	Qty 1x Additional Batteries		
20	Memory Card (with each Camcorder)	Qty 64GB Memory cards Compatible with camera for 4k recordings		

21	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF TRIPOD SYSTEM FOR ENG/FIELD CAMERA SYSTEMS			2	
Approved Makes: Manfrotto, Vinten, Libec or Equivalent Which is Seemlessly Compatible				
1	Section	Two-Stage Aluminum Tripod System		
2	Payload	4kg or Better		
3	Ball diameter	65mm		
4	Section	2 STAGE		
5	Weight	3.5kg or Less		
6	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF WIRELESS LAPEL MICROPHONE FOR OUTDOOR WITH CAMERA MOUNTABLE RECIEVER			2	
Approved Makes: Sennheiser, Azden, Saramonic, Audio Technica				

1	System Package	Camera Mount Receiver preferably to support two microphone simultaneously, XLR output Cable, Body pack Transmitter with Lavalier and Handheld Microphones		
	System			
2	Antenna	High-Gain Antenna		
3	Display	Digital LCD Display w/ Multifunction Readout		
4	Headphone Output	Headphone Output on Receiver		
	Receiver			
5	Frequency Response	50Hz — 15kHz or Better		
6	S/N Ratio	70 dB or better		
7	Output Impedance	1k Ohms		
8	Type of Reception			
9	Oscillator	P LL Synthesized		
10	Power	Powered by 2 "AA" Batteries		
	Transmitter			
11	Frequency Response	- 15kHz		
12	RF Power	25mW or better		
13	Oscillator	PI-L Synthesized		
14	Power	Powered by 2 "AA" Batteries		
15	Microphone	Omni-directional lapel microphone		
16	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF SHOTGUN MICROPHONE			2	

Approved Makes: Sennheiser, AKG, Azden, Saramonics, Audio Technica or Equivalent Which is Seemlessly Compatible				
1	System	Directional shotgun microphone		
2	Directional Pattern	Cardioid		
3	Signal to Noise Ratio:	80 dB or more		
4	Sensitivity	-32dB or better		
5	Phantom Power	Yes Required		
6	Frequency Range	80Hz to 18kHz or Better		
7	Output Connection	3-pin XLR, balanced		
SITC OF Portable Audio Recorder			1	
Approved Makes: Zoom, Roland or Equivalent Which is Seemlessly Compatible				
1	System	4-Input / 4-Track Portable Handy Recorder with Onboard X/Y Mic Capsule Onboard Stereo Mic & Built-In Speaker		
2	Number of Tracks	4		
3	Microphone	Built-In Cardioid Condenser Stereo Pair, X/Y Configuration		
4	Power	48V phantom power / Battery		
5	Memory Card Support	SD (16 MB to 2 GB) SDHC (4 to 32 GB)		
6	Output Connection	3-pin XLR, balanced		
7	Audio File Formats	MP3, WAV		
8	Sample Rates	WAV: 44.1 / 48 / 96 kHz MP3:		

		44.1 kHz (Record) 44.1 / 48 kHz (Playback)		
9	Analog I/O	1 x 1/8" / 3.5 mm TRS Female Unbalanced Mic Input 1 x 1/8" / 3.5 mm TRS Female Unbalanced Headphone/Line Output 1 x 2.5 mm TRRS Female Remote Input 2 x Combo XLR-1/4" TRS Female		
10	Phantom Power	+24 / 48 V		
11	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SECTION E - CHROMA SET, UPS &				
SITC OF Green Chroma Set			1	
Approved Makes: Customized				
1	Fixed Chroma set	12 Feet wide, 10 Feet on Wall and atleast 6 Feets on Floor with curved edge from Wall to floor. With Proper green fabric to provide rich Chroma key effect		
2	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SITC OF ONLINE UPS SYSTEM			1	
Approved Makes: Eaton, APC, Emerson, Liebert				

1	UPS	15 KVA (3 Phase In: 1 Phase out) On-Line UPS System with I(ONE) Hour Backup Should have Hot Standby Redundancy in 1:1 Mode		
2	Batteries and Accessories	Suitable rated batteries to provide backup for 20 Mins or more along with Battery Rack, interlink battery cables		
3	Supplied Accessories	All necessary cables and accessories should be supplied for completeness of the system		
SYSTEM INSTALLATION SERVICES			1	
1	Cabling Approved Makes: Beldon, Canare, Neutrik, Amphenol or Equivalent Which is Seemlessly Compatible	It is required to set-up the facility for HD/SD operations with 4K Cameras, therefore all the cabling should seemlessly support required operations.		
2	Installation Material	All installation materials including, equipment racks, power cables, interconnection cables, connectors and other accessories (including nuts, bolts, screws etc.) required for installation of the complete system shall be quoted		

3	System Completeness	Completeness of the system will be responsibility of the bidder Any hardware and/or software including passive and active devices required for completeness of the technical workflow shall be quoted. Bidder shall be responsible for technical and operational completeness of the entire system.		
4	Workflow Diagram	The bidder has to provide schematic diagram of the technical workflow to ensure the workability of the offered solution in all respects.		

5	Any Additional Items for Complete the workflow	Bidder must mention any additional items require to complete the workflow with proper justification.		
---	--	--	--	--

Note:

1. The Rates should be quoted inclusive of all taxes; viz. Freight, Packing, Forwarding, Insurance, Transportation, Octree, **3 Years Onsite Warranty** inclusive of spares & Labour, applicable GST up to the F.O.R. AIIA, Delhi basis. The accessories required for Equipment operational at the AIIA DELHI site needs to be supplied on free of cost by the Bidder Agency
2. The Tenderer will be fully responsible for the safe arrival of the Equipment/Goods at the named port of entry to consignee site in good condition as per terms of CIP as per INCOTERMS, if applicable
3. The free of cost consumables (if any required) for 3 months' period for make operational equipment at AIIA DELHI site needs to be supplied with ordered equipment.
4. The Bidder will quote firm rates inclusive of all Taxes & expenditure up to F.O.R. to AIIA DELHI basis. The AIIA DELHI will release payment claim against accepted supply after deductions of TDS as per prevailing Tax Rules and LD (If any) as per the Terms & Condition mentioned in the Tender.
5. L1 will be decided on total cost of each Equipment Plus Cumulative total of CMC charges (for 3 years after expiry of warranty/guarantee period) and indigenous goods.

Annexure-VI

**PERFORMANCE/CMC SECURITY BANK GUARANTEE
FORMAT**

(on the letterhead of the Manufacturer)

To,

The Director
All India Institute of Ayurveda,
Gautampuri, Sarita Vihar,
New Delhi - 110076

WHEREAS _____ (Name and address of the supplier) (Hereinafter called "the supplier") has undertaken, in pursuance of contract no. _____ dated _____ to supply (Equipment/Stores and services) (hereinafter called "the contract").

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee from nationalized bank for the sum specified therein as security for compliance with its obligations in accordance with the contract;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of. (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid up to **38 (Thirty-Eight) months** from the date of satisfactory installation of the Equipment/Stores in the User Department at AIIA, DELHI i.e. up to-----

.....(indicate date).

(Signature with date of the authorized officer of the Bank) Name and designation of the officer

Seal, name & address of the Bank and address of the issuing Branch, including Telephone No. & Email ID

Annexure-VII

TECHNICAL BID
(signed technical bid documents)

Sl. No.	Name of the item (as per the Tender Schedule of Requirement Annex-I)	Make & Model Quoted	Indian/ Imported /Country of Origin	Catalogue/ Technical details submitted Yes/No	Demonstration Yes/No	Deviation to specification, if any With reason

Note: Mention detailed specifications (point wise) of quoted item as per schedule of requirement and mention deviation in the specification if any.

Signature, Name of Authorized Person of the Bidder with seal.

Date:

Place:

Contact No.:

Email ID:

Annexure-VIII

UNDERTAKING

(To be executed on Rs.100/-Non-Judicial Stamp Paper duly attested by Public Notary)

For Compliance of all Terms & Conditions mentioned in this Tender Document

1. The undersigned certify that I/we have gone through the terms and conditions mentioned in the tender document and undertake to comply with them. I have no objection for any of the content of the tender document and I undertake not to submit any complaint/representation against the tender document after submission date and time of the tender. The rates quoted by me/user valid and binding on me/us for acceptance till the validity of tender.
2. **I/We undersigned hereby bind myself/ ourselves to ALL INDIA INSTITUTE OF AYURVEDA DELHI, GAUTAMPURI SARITA VIHAR, DELHI-110076 to supply the approved awarded Equipment/Instruments/Apparatus/items in the approved prices to AIIA DELHI, during the Rate Contract period under this contract.**
3. The articles shall be of the best quality and of the kind as per the requirement of the institution. The decision of the Director, AIIA DELHI, India (hereinafter called the said officer) as regard to the quality and kind of article shall be final and binding on me.
4. **Performance security 5%** of the cost of the supply value shall be deposited by me in the form of FDR/ Bank Guarantee in the name of The Director, All India Institute of Ayurveda, DELHI in the format at **Annexure-VI** attached herewith on award of the contract and shall remain in the custody of the Director till the validity of the Tender Contract plus three months (**i.e. for 38 months**).
5. Should the said officer deem it necessary to change any article on being found of inferior quality, it shall be replaced by me/us free of cost in time to prevent in convenience.
6. I/We hereby undertake to supply the items during the validity of tender as per directions given in supply order within stipulated period positively.
7. If I/We fail to supply the stores in stipulated period, the AIIA DELHI has full power to compound or forfeit the Bid Security/security deposit.
8. I/We declare that no legal/ financial irregularities are pending against the proprietor/ partner of the tendering firm or manufacturer.
9. I/We undertake that the rates quoted by me when approved and selected by the Director, AIIADELHI will be valid for one year from the date of approval of the rate contract in the format given in **Annexure-V** or till extended as mutually agreed upon. I/we undertake to supply the equipment/stores will be **as per the Terms & Conditions** in tender document. I/we undertake to supply the order with in stipulated period and if fail to supply order during the stipulated period then necessary action can be taken by the Director, AIIA, DELHI.
10. I/We undertake that if the rates of any items are lowered due to any reason, I will charge the lower rates.
11. I/We undertake that the items supplied are as per Demonstration/ Catalogue/ technical

literature description.

12. I/We undertake that the quoted rates are not higher than that approved in any other Govt. institutions in India for the same items during the current Financial Year.
13. **Affidavit regarding No CBI Inquiry/ FEMA/ Criminal proceeding/ Black listing is pending or going on against the manufacturer/ bidder firm is also enclosed. I undertake that I will not submit any irrelevant documents with the tender and in doing so I will not have any objection if my tender is rejected on that ground.**
14. I/We undertake to supply the all Literature (Log Book/Maintenance Record/Troubleshooting/ Operation Manuals etc.) supplied with each of equipment by Principal Manufacturer in Original to AIIA, DELHI.
15. I/We undertake to calibrate Equipment as per requirement and frequency as indicated in the **Annexure-I, Technical Specification of Equipment** for ensuring optimum operation of equipment at the AIIA, DELHI site.
16. I/we do hereby confirm that the prices/ rates quoted are fixed and are at par with the prices quoted by me /us to any other Govt. of India/ Govt. Hospitals/ Medical Institutions/ PSUs. I/we also offer to supply the Equipment/ stores at the prices and rates not exceeding those mentioned in the Financial Bid.
17. I/we do accept/ agree for the all clauses including the 3 years onsite Warranty inclusive of all spares and labour etc. and after expiry of warranty period, the 3 years CMC for Equipment on approved rates and payment terms and conditions of this tender enquiry.
18. I/we have necessary infrastructure for the maintenance of the equipment and will provide all accessories/spares as and when required.
19. I/we undertake to get the equipment repaired within 48 hours of the receiving of the complaint from the Hospital failing which a penalty at the rate of ₹500/- per day may be recovered from pending bill/Bank Guarantee before releasing the same to us after 36 months.
20. I/we undertake, if as a result of post payment audit any over payment is deducted in respect of any Supply/work done by our Agency or alleged to have been done by our Agency under this tender, it shall be recovered by the AIIA DELHI from our Agency.
21. I/We do hereby confirm that I/we aware about the provisions of "Make in India" initiatives and directives regarding Price Preference Policy to Make in India Registered Bidders and I/We undertake for following the same as per directions of AIIA DELHI in respect of this Tender Enquiry.
22. I/We undertake to respect Anti-Profitteering Rule under GST Act 2017 of Govt. of India and will have mandatorily to pass on the benefit due to reduction in rate of tax to the AIIA, DELHI by way of commensurate reduction in our prices. And if I/we will be found defaulter for following of above said rule (i.e. passing all the benefits of GST Tax Regime price reductions to AIIA, DELHI), the AIIA, DELHI have the right to initiate necessary action deemed fit as per GST Act, 2017 against our firm.
23. I/we undertake, if as a result of post payment audit any over payment is deducted in respect of any Supply/work done by our Agency or alleged to have been done by our Agency under this tender, it shall be recovered by the AIIA DELHI from our Agency.
24. I/we undertake, if any under payment is discovered, the amount shall be duly paid to our

Agency by the AIIA, DELHI.

25. I/we undertake that we shall liable to provide all the relevant records copies during the concurrency period of Contract or otherwise even after the Contract is over, whenever required by AIIA, DELHI.
26. I/We do solemnly pledge and affirm that I/We am/are the proprietor/partner/authorized signatory of M/s..... and my/our firm has not been declared defaulter by any Govt. Agency and that no case of any nature i.e. CBI/FEMA/Criminal/Income Tax/GST/Blacklisting is pending against my/our firm.
27. I pledge and solemnly affirm that the information submitted in tender documents is true to the best of my knowledge and belief. I/We further pledge and solemnly affirm that nothing has been concealed by me and if anything adverse comes to the notice of purchaser during the validity of tender period, the Director, All India Institute of Ayurveda, DELHI (India) will have full authority to take appropriate action as he/she may deem fit.
28. I/We hereby declare that, our quoted prices against this Tender Enquiry are not higher than prices offered by us to any others Govt. Institutions/Other Institutions as per prevailing market prices and I/we are liable for passing of all the benefits of GST in terms of cost reduction on account of various tax factors to AIIA, DELHI as per the provisions of GST Act, 2017. I/We will also liable for passing of all the cost reduction benefits (if any) on account of CDEC provided by AIIA DELHI on Custom Duty part. If any time AIIA DELHI will get the information that we have supplied items on higher prices in comparison to other institutes based on prevailing applicable prices, we are undertaking that, we are liable for refunding and depositing back such difference amount to AIIA DELHI from our side without any question.
29. We are also undertaking that the Department of Commerce or Ministry/any other Department has been not debarred/blacklisted our firm as per best of our knowledge, if any such debarment/blacklisting come to the notice of AIIA DELHI Authorities during execution of Supplies against this Tender Enquiry, AIIA DELHI have right to reject our proposal and take appropriate action deemed fit against our firm as per prevailing applicable Rules & Regulations.

Signature,

Name of Authorized Person of the Bidder with seal.

Date:.....

Place:.....

Affirmation/Verification

Annexure-IX

ALL INDIA INSTITUTE OF AYURVEDA DELHI PUBLIC FINANCIAL MANAGEMENT SYSTEM (PFMS)		
PFMS UNIQUE CODE:		
VENDOR REGISTRATION FORM		
Sl. No.	Head Name	Details
1.	Vendor Name	
2.	Father/Husband/Owner Name	
3.	Date of Birth	
4.	PAN Number	
5.	GSTIN	
6.	Aadhar Number	
7.	TAN Number	
8.	TIN Number	
9.	Service Tax No	
10.	Address1	
11.	Address2	
12.	Address3	
13.	City	
14.	Country	
15.	State	
16.	District	
17.	Pin Code	
18.	Mobile No.	
19.	Phone No.	
20.	Email ID	
21.	Bank Name	
22.	IFSC Code	
23.	Account Number	
DATE:		
PLACE:		VENDOR SIGNATURE WITH SEAL
Note:	<i>All related self-attested documents also enclosed with this form</i>	